Index of Issues: January, pp. 1-112; February, pp. 113-208; March, pp. 209-304; April, pp. 305-398; May, pp. 399-492; June, pp. 493-624.

SUBJECT INDEX TO VOLUME 58

Subject entries for all material in the JOURNAL appear in this index. Entries from the JOURNAL departments are identified by the departments in which the subject matter appears, e.g., Clinical Reports.

A

Abortion, see under Pregnancy; Surgery

Accessory nerve, see under Nerve

Acetylcholine, see under Brain

Acquired immunodeficiency syndrome (AIDS), see under Immune response

Adapters, see under Equipment

Adenosine triphosphate, see under Metabolism

Aerosols

4

local anesthetics, compared [Downes, Hirshman, & Leon], 216 Age factors

and baroresponse and cardiovascular depression by halothane (correspondence) [Friesen], 387

and baroresponse and cardiovascular depression by halothane (correspondence) [Ware, Robinson, & Gregory], 387

child abuse

delayed awakening from anesthesia and (clinical report) [Ott, Pollack, Riddick, Reisch, & Epstein], 178

in perianesthetic management (editorial view) [Betts & Nicholson], 115

in nitrous oxide requirement of mice [Koblin, Lurz, & Eger], 428

AIDS, see under Immune response

Air embolism, see under Complications; Embolism Airway

see also Equipment

anatomy

deviation of, with cervical spine disease in erosive polyarticular arthritis [Keenan, Stiles, & Kaufman], 441 in DiGeorge syndrome, anesthesia for surgery and (clinical re-

port) [Flashburg], 479 juvenile, in adult with suprasellar tumor (clinical report) [Veselis

juvenile, in adult with suprasellar tumor (clinical report) [Veselis & Ko-bon], 481

management, for ophthalmic and head and neck surgery (correspondence) [Bedger, Chang, Larson, & Bleyaert], 199

obstruction, in Hallervorden-Spatz disease, anesthetic management in (clinical report) [Roy, McLain, Wise, & Shaffner], 382

oral, removal of, detachment of esophageal stethoscope cuff during (correspondence) [Gandhi & Dhamee], 202

preparation of, for nasotracheal intubation (correspondence) [Berger & Stirt], 105

reactivity in humans (medical intelligence) [Hirshman], 170
resistance, in adult with suprasellar tumor (clinical report) [Veselis & Korbon], 481

subglottic stenosis, anesthetic management and gas scavenging for laser surgery in (clinical report) [Rita, Seleny, & Holinger], 191

Alarms, see under Equipment

Alcohol

metabolism by rat hepatic microsomes of fluorinated ether anesthetics following consumption of [Rice, Dooley, & Mazze], 237

Aldosterone, see under Hormones

γ-Aminobutyric acid, see under Brain

Aminophylline, see under Sympathetic nervous system

Ammonia intoxication, see under Complications

Analgesia

postoperative, epidural morphine in, for postcesarean patient [Cohen & Woods], 500

suppression of noxiously evoked WDR dorsal horn neuronal activity by [Homma, Collins, Kitahata, Matsumoto, & Kawahara], 232

and suppression of WDR neurons, by spinal fentanyl [Suzukawa, Matsumoto, Collins, Kitahata, & Yuge], 510

Analgesics

narcotic

codeine, and zomepirac, compared as analgesic premedicants in short-stay surgery (clinical report) [Dunn, Morison, Fargas-Babjak, & Goldsmith], 265

fentanyl, postoperative rigidity following (clinical report) [Christian, Waller, & Moldenhauer], 275

morphine

biphasic depression of ventilatory responses to CO₂ following [Kafer, Brown, Scott, Findlay, Butz, Teeple, & Ghia], 418 epidural, influence of epinephrine as adjuvant to [Bromage,

Camporesi, Durant, & Nielsen], 257

epidural, Japanese pioneer in clinical use of (correspondence) [Matsuki], 289

epidural, for postcesarean patient [Cohen & Woods], 500 pharmacokinetics aspects of [Nordberg, Hedner, Mellstrand, & Dahlstrom], 545

nalbuphine, and droperidol, for local standby sedation (correspondence) [Klein], 397

nitrous oxide, and naloxone and its analeptic effect (correspondence) [Gillman & Lichtigfeld], 287

Analyzers, oxygen, see under Equipment

Anatomy

airway, deviation of, with cervical spine disease in erosive polyarticular arthritis [Keenan, Stiles, & Kaufman], 441

Anesthesia

balanced, atracurium in surgical patients receiving [Sokoll, Gergis, Mehta, Ali, & Lineberry], 450

cardiac, in Kawasaki disease (clinical report) [McNiece & Krishna], 269

cardiovascular

fentanyl-induced truncal rigidity during (clinical report) [Jaffe & Ramsey], 562

pancuronium in, effects of cardiopulmonary bypass and hypothermia on [d'Hollander, Duvaldestin, Henzel, Nevelsteen, & Bomblet], 505

in Wolff-Parkinson-White syndrome [Gómez-Arnau, Márquez-Montes, & Avello], 307

complications, and prospective evaluation of cardiac risk index (clinical report) [Jeffrey, Kunsman, Cullen, & Brewster], 462

management, "ATTENDING" computer system in (special article) [Miller], 362

and neuroradiology, metrizamide in (correspondence) [Pyles & Pashayan], 590

neurosurgical

craniotomy, nitrous oxide and prevention of tension pneumocephalus after (correspondence) [Friedman], 196

high-dose fentanyl for (clinical report) [Shupak, Harp, Stevenson-Smith, Rossi, & Buchheit], 579

hypothermia in pregnancy (clinical report) [Stånge & Halldin],

and nitrous oxide and intraoperative tension pneumocephalus (correspondence) [Frost], 197

and sights and sounds of air (editorial view) [Albin], 113

tension pneumocephalus and (correspondence) [Marschall], 301 transesophageal Doppler for detection of air embolism during [Martin & Colley], 117

transesophageal echocardiography for detection of air embolism during [Furuya, Suzuki, Okumura, Kishi, & Uefuji], 124

obstetri

cesarean section

epidural morphine following [Cohen & Woods], 500 reduced volume dose of sodium citrate prior to (correspondence) [Stoops, Ravindran, & Viegas], 201

type and screen for (clinical report) [Reisner], 476

citrate antacids prior to, buffering capacity of (correspondence) [Conklin & Ziadlou-Rad], 391

in early pregnancy, spread of epidural analgesia in (clinical report) [Fagraeus, Urban, & Bromage], 184

epidural catheters in, technique is critical variable in (correspondence) [Larson], 587

epidural catheters in, technique is critical variable in (correspondence) [Naulty], 588

epidural test dose in (correspondence) [Stonham & Moss], 389 etidocaine in, and toxicity in adult, newborn, and fetal sheep [Morishima, Pedersen, Finster, Feldman, & Covino], 342

hypothermia in pregnancy (clinical report) [Stånge & Halldin], 460

pre-induction, particulate antacids and (correspondence) [Eyler & Zaccari], 591

pre-induction, particulate antacids and (correspondence) [Gibbs & Banner], 592

outpatient, zomepirac and codeine compared as analgesic pre-

medicants for (clinical report) [Dunn, Morison, Fargas-Bab-jak, & Goldsmith], 265

pediatric(s)

child abuse in (editorial view) [Betts & Nicholson], 115

delayed awakening from, and child abuse (clinical report) [Ott, Pollack, Riddick, Reisch, & Epstein], 178

DiGeorge syndrome (clinical report) [Flashburg, Dunbar, August, & Watson], 479

Dinamap® adaptation for neonatal blood pressure determination during (correspondence) [Zmyslowski & Lena], 583

in Duchenne muscular dystrophy, malignant hyperthermia during (clinical report) [Brownell, Paasuke, Elash, Fowlow, Seagram, Diewold, & Friesen], 180

epinephrine-halothane interactions during [Karl, Swedlow, Lee, & Downes], 142

and gas scavenging for laser surgery of infant subglottic stenosis (clinical report) [Rita, Seleny, & Holinger], 191

halothane in, baroresponse and cardiovascular depression by (correspondence) [Friesen], 387

halothane in, baroresponse and cardiovascular depression by (correspondence) [Ware, Robinson, & Gregory], 387

halothane in, and epinephrine during, for closure of cleft palate (clinical report) [Ueda, Hirakawa, & Mae], 574

hazard of continuous flush systems for vascular pressure monitoring during (clinical report) [Morray & Todd], 187

neuromuscuiar effects of vecuronium in [Fisher & Miller], 519 risk factors, and prospective evaluation of cardiac risk index (clinical report) [Jeffrey, Kunsman, Cullen, & Brewster], 462

Anesthesia machines, see under Equipment

Anesthetic techniques

hypotension

induced

cerebrovascular response to, in hypertensive rats [Hoffman, Miletich, & Albrecht], 326

nitroglycerin, and nitroprusside, in pulmonary hypertension [Pearl, Rosenthal, & Ashton], 514

nitroprusside, in ewes, plasma renin, catecholamine, and vasopressin during [Zubrow, Daniel, Stark, Husain, & James], 245

nitroprusside, and nitroglycerin, in pulmonary hypertension [Pearl, Rosenthal, & Ashton], 514

and sodium thiosulfate disposition in humans [Ivankovich, Braverman, Stephens, Shulman, & Heyman], 11

hypothermia, in pregnancy (clinical report) [Stånge & Halldin], 460 intravenous, bier block, acute bupivacaine toxicity as result of venous leakage during (clinical report) [Rosenberg, Kalso, Tuominen, & Lindén], 95

nasopharyngeal insufflation, non-rebreathing, for laser surgery of infant subglottic stenosis (clinical report) [Rita, Seleny, & Holinger], 191

neurolept anesthesia, in moyamoya disease (correspondence) [Sumikawa & Nagai], 204

peridural

epidural

air embolism and (correspondence) [Larson], 587

air embolism and (correspondence) [Naulty], 588

hazard of new catheter for (correspondence) [Frankhouser], 293

hazard of new catheter for (correspondence) [Lingenfelter], 292

- measurement of catheter length for (correspondence) [Horrow], 198
- morphine, biphasic depression of ventilatory responses to CO₂ following [Kafer, Brown, Scott, Findlay, Butz, Teeple, & Ghial, 418
- morphine, Japanese pioneer in clinical use of (correspondence)
 [Matsuki], 289
- morphine, pharmacokinetic aspects of [Nordberg, Hedner, Mellstrand, & Dahlstrom], 545
- morphine, for postcesarean patient [Cohen & Woods], 500
- narcotic, influence of epinephrine as adjuvant to [Bromage, Camporesi, Durant, & Nielsen], 257
- optimal test dose for (correspondence) [Stonham & Moss], 389 spread of analgesia in, in early pregnancy (clinical report) [Fagraeus, Urban, & Bromage], 184
- lumbar, advantage of prone position approach in (clinical report) [Mustafa, Milliken, & Bizzarri], 464
- lumbar, spread of analgesia in, in early pregnancy (clinical report) [Fagraeus, Urban, & Bromage], 184

regional

- brachial plexus, bilateral spread of analgesia following (clinical report) [Lombard & Couper], 472
- and prone position approach to lumbar epidural space (clinical report) [Mustafa, Milliken, & Bizzarri], 464
- sympathetic block, in treatment of causalgia (correspondence) [Szeinfeld & Pallares], 295
- sympathetic block, in treatment of causalgia (correspondence) [Teeple & Ghia], 294
- selection, "ATTENDING" computer system in (special article)
 [Miller], 362

spinal

- fentanyl in suppression of WDR neurons [Suzukawa, Matsumoto, Collins, Kitahata, & Yuge], 510
- morphine, suppression of noxiously evoked WDR dorsal horn neuronal activity by [Homma, Collins, Kitahata, Matsumoto, & Kawahara], 232
- and precipitation of local anesthetic drugs in cerebrospinal fluid (correspondence) [Dudziak], 388
- transcutaneous electrical stimulation, and nitrous oxide, effects oi, on brain potentials elicited by painful stimulation [Chapman, Schimek, Gehrig, Gerlach, & Colpitts], 250

Anesthetics

gases

nitrous oxide

- age-dependent alterations in requirements of, in mice, [Koblin, Lurz, & Eger], 428
- and enflurane anesthesia, systemic vascular responses to atracurium during [Hilgenberg, Stoelting, & Harris], 242
- interacts with opiate receptors (correspondence) [Gillman & Lichtigfeld], 483
- and intraoperative tension pneumocephalus (correspondence) [Frost], 197
- local metabolic effects of somatosensory stimulation in central nervous system following [Crosby, Crane, Jehle, & Sokoloff], 38
- moyamoya disease and (correspondence) [Sumikawa & Nagai], 204
- and naloxone and its analeptic effecs (correspondence) [Gillman & Lichtigfeld], 287
- and prevention of tension pneumocephalus after craniotomy (correspondence) [Friedman], 196

- symptomatic pneumocephalus after translabrynthine acoustic neuroma excision and (clinical report) [Miller & Furman], 981
- and transcutaneous electrical stimulation, effects of, on brain potentials elicited by painful stimulation [Chapman, Schimek, Gehrig, Gerlach, & Colpitts], 250
- withdrawal syndrome [Rupreht, Dworacek, Ducardus, Schmitz, & Dzoljic], 524

intravenous

- droperidol, effects on refractoriness of accessory pathway in Wolff-Parkinson-White syndrome [Gómez-Arnau, Márquez-Montes, & Avello], 307
- droperidol, nalbuphine and, for local standby sedation (correspondence) [Klein], 397

fentany

- effects on refractoriness of accessory pathway in Wolff-Parkinson-White syndrome [Gómez-Arnau, Márquez-Montes, & Avellol, 307
- halothane, and no anesthesia, compared during coronary ligation [MacLeod, Augereau, & Walker], 44
- high-dose, for neuroanesthesia (clinical report) [Shupak, Harp, Stevenson-Smith, Rossi, & Buchheit], 579
- postoperative rigidity following (clinical report) [Christian, Waller, & Moldenhauer], 275
- truncal rigidity induced by, attenuation of (clinical report)
 [Jaffe & Ramsey], 562

ketamine

- blood pressure control during use of, following guanethidine treatment [Miller, Beckman, Woodside, Althaus, & Peach], 32
- and measuring regional cerebral glucose utilization (correspondence) [Crosby & Sokoloff], 291
- and measuring regional cerebral glucose utilization (correspondence) [Hawkins, Hass, & Ransohoff], 290
- in study of cerebrovascular response to hypotension in hypertensive rats [Hoffman, Miletich, & Albrecht], 326
- treatment of status epilepticus (correspondence) [Sybert & Kuff], 203
- midazolam, and thiopental, ventilation after [Gross, Zebrowski, Carel, Gardner, & Smith], 540

pentobarbita

- alterations in influenza virus pulmonary pathology induced by [Knight, Bedows, Nahrwold, Maassab, Smitka, & Busch], 209
- anesthesia in dog, arrhythmogenic plasma levels of epinephrine during [Sumikawa, Ishizaka, & Suzaki], 322
- local metabolic effects of somatosensory stimulation in central nervous system following [Crosby, Crane, Jehle, & Sokoloff], 38
- 24 hours, whole body and organ system tolerance during [Gronert, Michenfelder, Steen, & Milde], 18

thiopenta

- arrhythmias induced by, in dogs (correspondence) [Dresel & Smith], 395
- arrhythmias induced by, in dogs (correspondence) [Seeler & Thurmon], 394
- and hypothermia, effects of, on cerebral oxygen consumption [Steen, Newberg, Milde, & Michenfelder], 527
- midazolam and, ventilation after [Gross, Zebrowski, Carel, Gardner, & Smith], 540

role of metabolism and protein binding in [Burch & Stanski], 146

local

bupivacaine

as epidural test dose (correspondence) [Stonham & Moss], 389 cardiotoxicity, in pregnant patient with mitral valve prolapse (correspondence) [Conklin & Ziadlou-Rad], 596

in comparison of bronchodilator aerosols [Downes, Hirshman, & Leon], 216

precipitation of, in cerebrospinal fluid (correspondence) [Dudziak], 388

toxicity, as result of venous leakage during bier block (clinical report) [Rosenberg, Kalso, Tuominen, & Lindén], 95

cocaine, inhibition of γ-aminobutyric acid release from synaptosomes by [Ikeda, Dohi, & Tsujimoti], 495

etidocaine, toxicity to, in adult, newborn, and fetal sheep [Morishima, Pedersen, Finster, Feldman, & Covino], 342

hexylcaine, in comparison of bronchodilator aerosols [Downes, Hirshman, & Leon], 216

lidocaine

in comparison of bronchodilator aerosols [Downes, Hirshman, & Leon], 216

and halothane, epinephrine during, for closure of cleft palate (clinical report) [Ueda, Hirakawa, & Mae], 574

inhibition of γ -aminobutyric acid release from synaptosomes by [Ikeda, Dohi, & Tsujimoti], 495

pretreatment, failure to initiate electroconvulsive seizures following (clinical report) [Hood & Mecca], 379

procaine

in comparison of bronchodilator aerosols [Downes, Hirshman, & Leon], 216

inhibition of γ-aminobutyric acid release from synaptosomes by [Ikeda, Dohi, & Tsujimoti], 495

tetracaine, inhibition of γ-aminobutyric acid release from synaptosomes by [Ikeda, Dohi, & Tsujimoti], 495

volatile

diethyl ether, alterations in influenza virus pulmonary pathology induced by [Knight, Bedows, Nahrwold, Maassab, Smitka, & Busch], 209

diethyl ether, isoflurane, and halothane, anesthetic potencies of, for various end points of anesthesia (laboratory report) [Kissin, Morgan, & Smith], 88

enflurane

alterations in influenza virus pulmonary pathology induced by [Knight, Bedows, Nahrwold, Maassab, Smitka, & Busch], 209

anesthesia in dog, arrhythmogenic plasma levels of epinephrine during [Sumikawa, Ishizaka, & Suzaki], 322

anesthetic potency for, heart rate response to nociceptive stimulation as index of (correspondence) [Kissin & Morgan], 109

blood pressure control during use of, following guanethidine treatment [Miller, Beckman, Woodside, Althaus, & Peach], 32

effects of, myocardial loading conditions determining [Zimpfer, Gilly, Krosi, Schlag, & Steinbereithner], 159

or halothane, cerebral blood volume and CSF pressure during [Artru], 533

and halothane, effects of, on right ventricular performance during pentobarbital sodium anesthesia [Mote, Pruett, & Gramling], 53 hepatic necrosis induced by, in triiodothyronine-pretreated rats [Berman, Kuhnert, Phythyon, & Holaday], 1

influence of, on SA node [Bosnjak & Kampine], 314

isoflurane, and methoxyflurane metabolism in rat hepatic microsomes from ethanol-treated animals [Van Dyke], 221

metabolism by rat hepatic microsomes of, following ethanol consumption [Rice, Dooley, & Mazze], 237

and nitrous-oxide anesthesia, systemic vascular responses to atracurium during [Hilgenberg, Stoelting, & Harris], 242

halothane

alterations in influenza virus pulmonary pathology induced by [Knight, Bedows, Nahrwold, Maassab, Smitka, & Busch], 209

anesthesia in dog, arrhythmogenic plasma levels of epinephrine during [Sumikawa, Ishizaka, & Suzaki], 322

ATP depletion induced by, in platelets from patients susceptible to malignant hyperthermia [Giger & Kaplan], 347

blood pressure control during use of, following guanethidine treatment [Miller, Beckman, Woodside, Althaus, & Peach], 32

or enflurane, cerebral blood volume and CSF pressure during [Artru], 533

and enflurane, effects of, on right ventricular performance during pentobarbital sodium anesthesia [Mote, Pruett, & Gramling], 53

epinephrine during, for closure of cleft palate (clinical report) [Ueda, Hirakawa, & Mae], 574

-epinephrine interactions in children [Karl, Swedlow, Lee, & Downes], 142

fentanyl, and no anesthesia, compared during coronary ligation [MacLeod, Augereau, & Walker], 44

hepatic necrosis induced by, in triiodothyronine-pretreated rats [Berman, Kuhnert, Phythyon, & Holaday], 1

hepatotoxicity, etiology of (correspondence) [Strunin, Harrison, & Davies], 391

influence of, on SA node [Bosnjak & Kampine], 314

inhibits microbicidal oxidative activity of pulmonary alveolar macrophages (laboratory report) [Welch], 456

and isoflurane, comparison of safety margins of (laboratory report) [Kissin, Morgan, & Smith], 556

isoflurane, and diethyl ether, anesthetic potencies of, for various end points of anesthesia (laboratory report) [Kissin, Morgan, & Smith], 88

moyamoya disease and (correspondence) [Sumikawa & Nagai], 204

normalization of cerebral blood flow during prolonged use of [Albrecht, Miletich, & Madala], 26

sensitization of carotid sinus baroreceptors, extent and mechanism of [Seagard, Hopp, Bosnjak, Elegbe, & Kampine], 432

isoflurane

atracurium in surgical patients receiving [Sokoll, Gergis, Mehta, Ali, & Lineberry], 450

enflurane, and methoxyflurane metabolism in rat hepatic microsomes from ethanol-treated animals [Van Dyke], 221

and halothane, comparison of safety margins of (laboratory report) [Kissin, Morgan, & Smith], 556

halothane, and diethyl ether, anesthetic potencies of, for various end points of anesthesia (laboratory report) [Kissin, Morgan, & Smith], 88

603

hepatic necrosis induced by, in triiodothyronine-pretreated rats [Berman, Kuhnert, Phythyon, & Holaday], 1

influence of, on SA node [Bosnjak & Kampine], 314 long-term succinylcholine infusion during [Donati & Bevan],

potentiation of succinylcholine phase II block with [Donati & Bevan], 552

methoxyflurane

criflurane, and isoflurane metabolism in rat hepatic microsomes from ethanol-treated animals [Van Dyke], 221

metabolism by rat hepatic microsomes of, following ethanol consumption [Rice, Dooley, & Mazze], 237

sevoflurane, metabolism by rat hepatic microsomes of, following ethanol consumption [Rice, Dooley, & Mazze], 237

Ankylosing spondylitis, see under Complications Antacids

particulate

neutralizing capacity of (correspondence) [Eyler & Zaccari], 591 neutralizing capacity of (correspondence) [Gibbs & Banner], 592

Antagonists narcotic

naloxone

and its analeptic effect (correspondence) [Gillman & Lichtigfeld), 287

following high-dose fentanyl for neuroanesthesia (clinical report) [Shupak, Harp, Stevenson-Smith, Rossi, & Buchheit], 579

in study of nitrous oxide withdrawal syndrome [Rupreht, Dworacek, Ducardus, Schmitz, & Dzoljic] 524

neuromuscular relaxants

and clinical pharmacology of BWA444U [Savarese, Ali, Basta, Sunder, Moss, Gionfriddo, Lineberry, Wastila, El-Sayad, Montague, & Braswell], 333

neostigmine, and pyridostigmine, in renal failure, prolonged effect of succinylcholine after (clinical report) [Bishop & Hornbein], 384

pyridostigmine, and neostigmine, in renal failure, prolonged effect of succinylcholine after (clinical report) [Bishop & Hornbein], 384

Antidiuretic hormone, see under Hormones

Arrest, cardiac, see under Complications

Arrhythmias, see under Complications; Heart

Arteries

arteriovenous malformation, therapeutic embolization of, pulmonary embolism during (clinical report) [Capan, Lardizabal, Sinha, Ashok, Berenstein, & Turndorf], 569

pulmonary, smooth muscle of, pulmonary vascular response is dependent upon initial state of (correspondence), [Bagshaw & Cox], 205

Arteriovenous malformation, see under Arteries

Arthritis, see under Complications

Arthroplasty, see under Surgery

Aspiration, see under Complications; Lung(s)

Asthma, see under Complications; Lung(s)

Ataractics

phenothiazines, chlorpromazine, and delayed awakening from anesthesia (clinical report) [Ott, Pollack, Riddick, Reisch, & Epstein], 178

Atelectasis, see under Complications; Lung(s)

Atkinson, R. S., and Hewer, C. L. (eds.), Recent Advances in Anaesthesia and Analgesia, No. 14 (book review), 398

Autotransfusion, see under Transfusion

Balanced anesthesia, see under Anesthesia

Barbiturates, see under Hypnotics

Baroreceptors, see under Receptors

Baroresponse, see under Reflexes

Basal ganglia, see under Brain

Bier block, see under Anesthetic techniques, intravenous

Binding, see under Protein; Receptor

Biotransformation

(drugs), by rat hepatic microsomes, following ethanol consumption [Rice, Dooley, & Mazze], 237

inorganic fluoride, and enflurane metabolism in rat hepatic microsomes from ethanol-treated animals [Van Dyke], 221

Bleeding, see under Blood, coagulation; Complications; Hemorrhage

Blitt, C. D., Catheterization Techniques for Invasive Cardiovascular Monitoring (book review), 111

Block, bilateral, see under Complications

Blood

SUBJECT INDEX TO VOLUME 58

disease transmission, acquired immunodeficiency syndrome (editorial view) [Miller & Bove], 493

disseminated intravascular coagulation, following midtrimester abortions (clinical report) [White, Coe, Dworsky, & Margolis], 99

hemodilution, estimating allowable blood loss (clinical report) [Gross], 277

loss

estimating allowable: corrected for dilution (clinical report) [Gross], 277

massive occult retroperitoneal, during hip surgery (clinical report) [Brizgys & Hicks], 473

platelets, halothane-induced ATP depletion in, from patients susceptible to malignant hyperthermia [Giger & Kaplan], 347

products, acquired immunodeficiency syndrome (AIDS) and (editorial view) [Miller & Bove], 493

replacement, and estimation of allowable blood loss (clinical report) [Gross], 277

Blood-brain barrier, see under Brain

Blood pressure

baroreceptor reflexes, halothane sensitization of, [Seagard, Hopp, Bosnjak, Elegbe, & Kampine], 432

control

in infants, and baroresponse by halothane (correspondence) [Friesen], 387

in infants, and baroresponse by halothane (correspondence) [Ware, Robinson, & Gregory], 387

drug effects, in patients undergoing coronary artery bypass grafting
[Morris, Cahalan, Miller, Wilkinson, Quasha, & Robinson],
438

hypertension

pulmonary, nitroglycerin and nitroprusside in [Pearl, Rosenthal, & Ashton], 514

in rats, cerebrovascular response to hypotension in [Hoffman, Miletich, & Albrecht], 326

hypotension

- in hypertensive rats, cerebrovascular response to [Hoffman, Miletich, & Albrecht], 326
- trimethaphan, brain electrical activity and organ integrity during [Dong, Bledsoe, Eng, Heavner, Shaw, Hornbein, & Ander-
- monitoring of, neonatal, Dinamap® adaptation for (correspondence) [Zmyslowski & Lena], 583

Body temperature, see under Temperature

Blood pressure—BW A444U

Book reviews

- Atkinson, R. S., and Hewer, C. L. (eds.), Recent Advances in Anaesthesia and Analgesia, No. 14, 398
- Blitt, C. D., Catheterization Techniques for Invasive Cardiovascular Monitoring, 111
- Cowley, R. A., and Dunham, C. M. (eds.), Shock Trauma/Critical Care Manual: Initial Assessment and Management, 112
- Cowley, R. A., and Trump, B. F. (eds.), Pathophysiology of Shock, Anoxia, and Ischemia, 112
- Gothard, J. W. W., and Branthwaite, M. A., Anaesthesia for Thoracic Surgery, 304
- Grundy, B. L., and Gravenstein, J. S. (eds.), The Quality of Care in Anesthesia, 207
- Guenter, C. A., and Welch, M. H., Pulmonary Medicine, Second Edition, 111
- Petty, C., Research Techniques in the Rat, 111
- Petty, T. L., Intensive and Rehabilitative Respiratory Care, 304
- Stevens, A. J. (ed.), Preparation for Anaesthesia, 207
- Varkey, G. P. (ed.), International Anesthesiology Clinics: Anesthetic Considerations in the Surgical Repair of Intracranial Aneurysms, 398
- Wood, M., and Wood, A. J. J. (eds.), Drugs and Anesthesia. Pharmacology for Anesthesiologists, 597

Bowel, see under Colon

Brachial plexus block, see under Anesthetic techniques, regional Brain

- acetylcholine, in nitrous oxide withdrawal syndrome [Rupreht, Dworacek, Ducardus, Schmitz, & Dzoljic], 524
- γ-aminobutyric acid, release, inhibition of, from synaptosomes by local anesthetics [Ikeda, Dohi, & Tsujimoti], 495
- autoregulation, and cerebrovascular response to hypotension in hypertensive rats [Hoffman, Miletich, & Albrecht], 326
- basal ganglia, disorder of, anesthetic management in (clinical report) [Roy, McLain, Wise, & Shaffner], 382

blood flow

- and CSF pressure during anesthesia with halothane or enflurane [Artru], 533
- during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Mildel, 18
- normalization of, during prolonged halothane anesthesia [Albrecht, Miletich, & Madala], 26
- blood-brain barrier, glycine and (correspondence) [Larson], 488
- blood volume, and CSF pressure during anesthesia with halothane or enflurane [Artru], 533
- convulsions, local anesthetic-induced, and inhibition of y-aminobutyric acid release from synaptosomes [Ikeda, Dohi, & Tsujimoti], 495

electroencephalogram

- during profound arterial hypotension [Dong, Bledsoe, Eng. Heavner, Shaw, Hornbein, & Anderson], 61
- hypothermia and (correspondence) [Levy], 396
- hypothermia and (correspondence) [Sharbrough, Quasha, & Tinker], 396

- endorphins, in nitrous oxide withdrawal syndrome [Rupreht, Dworacek, Ducardus, Schmitz, & Dzoljic], 524
- epilepsy, facial pain in, induced by music (correspondence) [Yanagida]. 388

evoked potential

- during profound arterial hypotension [Dong, Bledsoe, Eng, Heavner, Shaw, Hornbein, & Anderson], 61
- elicited by painful stimulation, effects of nitrous oxide and transcutaneous electrical stimulation on [Chapman, Schimek, Gehrig, Gerlach, & Colpitts], 250
- sensory, intraoperative monitoring of (medical intelligence) [Grundy], 72

glucose utilization

- with pentobarbital or nitrous oxide [Crosby, Crane, Jehle, & So-
- regional, potential pitfalls in measuring (correspondence) [Crosby & Sokoloff], 291
- regional, potential pitfalls in measuring (correspondence) [Hawkins, Hass, & Ransohoff], 290
- intracranial pressure, and cerebral blood volume with halothane or enflurane [Artru], 533

metabolism

- during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Milde], 18
- effects of hypothermia and barbiturates on [Steen, Newberg, Milde, & Michenfelder], 527
- and measuring regional cerebral glucose utilization (correspondence) [Crosby & Sokoloff], 291
- and measuring regional cerebral glucose utilization (correspondence) [Hawkins, Hass, & Ransohoff], 290
- normalization of, during prolonged halothane anesthesia [Albrecht, Miletich, & Madala], 26
- regional, with pentobarbital or nitrous oxide [Crosby, Crane, Jehle, & Sokoloff], 38
- moyamoya disease, and anesthesia (correspondence) [Sumikawa & Nagai], 204

oxygen consumption

- during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Milde], 18
- effects of hypothermia and barbiturates on [Steen, Newberg, Milde, & Michenfelder], 527
- pneumocephalus, after translabrynthine acoustic neuroma excision and nitrous oxide anesthesia (clinical report) [Miller & Fur-
- somatosensory-evoked potentials, intraoperative loss of (correspondence) [Raudzens], 593
- stimulation, with pentobarbital or nitrous oxide [Crosby, Crane, Jehle, & Sokoloff], 38
- subdural space, air flow into, and pneumocephalus, during neuroma excision and nitrous oxide anesthesia (clinical report) [Miller & Furmanl, 281
- synaptosomes, inhibition of γ-aminobutyric acid release from, by local anesthetics [Ikeda, Dohi & Tsujimoti], 495

tension pneumocephalus

- (correspondence) [Marshall], 301
- intraoperative, nitrous oxide and (correspondence) [Frost], 197 prevention of, after craniotomy, nitrous oxide and (correspondence) [Friedman], 196

Bronchus, see under Lung(s)

Bupivacaine, see under Anesthetics, local

BW A444U, see under Neuromuscular relaxants

605

C

Calcium, see under Ions

Cancer

Kaposi's sarcoma, acquired immunodeficiency syndrome (AIDS) and blood products and (editorial view) [Miller & Bove],

Cannulas, see under Equipment

Cannulation, see under Anatomy, specific vessels; Veins Calcium channel blockers, see under Sympathetic nervous system Carbon dioxide

rebreathing

and Bain circuit (correspondence) [Dean & Keenan], 393 and Bain circuit (correspondence) [Nott & Norman], 392 ventilatory response after thiopental and midazolam [Gross, Zebrowski, Carel, Gardner, & Smith], 540

Carbon dioxide response, see under Ventilation

Cardiac anesthesia, see under Anesthesia

Cardiac arrest, see under Complications

Cardiac output, see under Heart

Cardiac surgery, see under Surgery

Cardiotoxicity, see under Heart

Cardiovascular anesthesia, see under Anesthesia

Catecholamines, see under Sympathetic nervous system

Catheters, see under Equipment

Cerebral glucose utilization, regional, see under Measurement techniques

Cerebrospinal fluid

volume, and precipitation of local anesthetic drugs into (correspondence) [Dudziak], 388

Cesarean section, see under Anesthesia, obstetric; Pregnancy

Child(ren), see under Age factors; Anesthesia, pediatric

Chlorpromazine, see under Ataractics, phenothiazines

Cholinesterase, see under Enzymes

Circuits, anesthetic, see under Equipment

Citrate, see under Metabolism; Toxicity; Transfusion

Coagulation, see under Blood

Cocaine, see under Anesthetics, local

Codeine, see under Analgesics, narcotic

Colon, see under Gastrointestinal tract

Compliance, see under Heart; Lung(s); Veins

Complications

air embolism

detection of (editorial view), [Albin], 113

in insertion of epidural catheter (correspondence) [Larson], 587 in insertion of epidural catheter (correspondence) [Naulty], 588 transesophageal Doppler for detection of [Martin & Colley], 117 transesophageal echocardiography for detection of [Furuya, Suzuki, Okumura, Kishi, & Uefuji], 124

ammonia intoxication, from glycine absorption during urologic surgery (clinical report) [Roesch, Stoelting, Lingeman, Kah-

noski, Backes, & Gephardt], 577 anesthetic, in bupivacaine toxicity as result of venous leakage during bier block (clinical report) [Rosenberg, Kalso, Tuominen, & Lindén 1, 95

ankylosing spondylitis, anesthetic management for surgical corrections of (clinical report) [Ovassapian, Land, Schafer, Cerullo, & Zalkind], 370

arrest, cardiac, in embolism secondary to limb exsanguination (clinical report) [Pollard, Lovelock, & Jones], 373

arrhythmia

in epinephrine during halothane for closure of cleft palate (clinical report) [Ueda, Hirakawa, & Mae], 574

prevention of, in Wolff-Parkinson-White syndrome [Gómez-Arnau, Márquez-Montes, & Avello], 307

arthritis, acquired laryngeal deviation associated with cervical spine disease in [Keenan, Stiles, & Kaufman], 441

aspiration

particulate antacids and (correspondence) [Eyler & Zaccari], 591 particulate antacids and (correspondence) [Gibbs & Banner], 592 aspiration pneumonitis, sodium citrate for prophylaxis against (correspondence) [Stoops, Ravindran, & Viegas], 201

bilateral block, spread of, following interscalene brachial plexus block (clinical report) [Lombard & Couper], 472

bleeding, in disseminated intravascular coagulation following midtrimester abortions (clinical report) [White, Coe, Dworsky, & Margolis], 99

cardiac, in bupivacaine toxicity as result of venous leakage during bier block (clinical report) [Rosenberg, Kalso, Tuominen, & Lindén], 95

pulmonary artery, in Eisenmenger's syndrome (correspondence) [Noble, Devitt, & Byrick], 589

pulmonary artery, in Eisenmenger's syndrome (correspondence) [Robinson], 588

causalgia, treatment of (correspondence) [Szeinfeld & Pallares], 295 causalgia, treatment of (correspondence) [Teeple & Ghia], 294

convulsions

after translabrynthine acoustic neuroma excision and nitrous oxide anesthesia (clinical report) [Miller & Furman], 281

in bupivacaine toxicity as result of venous leakage during bier block (clinical report) [Rosenberg, Kalso, Tuominen, & Lindénl. 95

delayed awakening, in ammonia intoxication during urologic surgery (clinical report) [Roesch, Stoelting, Lingeman, Kahnoski, Backes, & Gephardt], 577

diagnosis, x-ray, metrizamide and (correspondence) [Pyles & Pashayan], 590

edema, pulmonary, intravenous verapamil to relieve, in mitral valve disease (clinical report) [Kopman], 374

emphysema, subcutaneous, from faulty resuscitation bag (clinical report) [Jumper, Desai, Liu, & Philip], 572

adapter it is available to update APL valves (correspondence) [Luich], 200

cluttered, as cause for hypoxia (correspondence) [Henling & Diaz], 288

disposable (correspondence) [Thys], 203

new epidural catheter (correspondence) [Frankhouser], 293 new epidural catheter (correspondence) [Lingenfelter], 292

equipment failure

anesthesia machine (correspondence) [Julien], 584

anesthesia machine (correspondence) [McMahon, Holm, & Batra], 586

anesthesia machine, manufacturer's comment on (correspondence) [Luich], 585

anesthesia machine, manufacturer's comment on (correspondence) [Rosano], 587

Complications—Embolism

explosions, of colonic gas mixtures, etiologic factors in (correspondence) [Rumley], 195

hydrothorax, right, after left external jugular vein catheterization (clinical report) [Ghani & Berry], 93

hypertension

after intraoperative autotransfusion in bilateral adrenalectomy for pheochromocytoma (clinical report) [Smith, Mihm, & Mefford], 182

pulmonary, pulmonary vascular response to (correspondence), [Bagshaw & Cox], 205

hypokalemic familial periodic paralysis (clinical report) [Melnick, Chang, Larson, & Bedger], 263

internal cuff herniation, as cause of tracheal tube obstruction (correspondence) [Famere a], 593

Kawasaki disease, anesthetic implications (clinical report) [McNiece & Krishna], 269

malignant hyperthermia, halothane-induced ATP depletion in piatelets from patien: susceptible to [Giger & Kaplan], 347

m-acocutaneous lymph node syndrome, anesthere implications (clinical report) [McNiece & Krishna], 269

nasotracheal intubation, guided (correspondence) [Adams], 105 paralysis, of accessory nerve after cannulation of internal jugular vein (correspondence) [Hoffman], 583

pneumocephalus

after craniotomy, nitrous oxide and prevention of (correspondence) [Friedman], 196

intraoperative tension, nitrous oxide and (correspondence) [Frost], 197

pulmonary barotrauma, accidental disconnection and (correspondence) [Rendell-Baker & Meyer], 286

rigidity

fentanyl-induced, attenuation of (clinical report) [Jaffe & Ramsey], 562

following fentanyl anesthesia (clinical report) [Christian, Waller, & Moldenhauer], 275

seizures, after metrizamide (correspondence) [Pyles & Pashayan], 590

status epilepticus, ketamine treatment of (correspondence) [Sybert & Kyff], 203

tension pneumocephalus

(correspondence) [Marschall], 301

intraoperative, nitrous oxide and (correspondence) [Frost], 197 prevention of, after craniotomy, nitrous oxide and (correspondence) [Friedman], 196

weakness, hypokalemic familial periodic paralysis (clinical report) [Melnick, Chang, Larson, & Bedger], 263

Computers, see under Measurement techniques; Records, anesthesia; Statistics

Congenital defects, see under Genetic factors; individual organs Connectors, see under Equipment

Contractility, see under Heart; Muscle; Uterus

Contrast media, see under Pharmacology

Convulsions, see under Anticonvulsants; Brain; Complications; Toxicity

Coronary occlusion, see under Heart

Cowley, R. A., and Dunham, C. M. (eds.), Shock Trauma/Critical Care Manual: Initial Assessment and Management (book review), 112 and Trump, B. F. (eds.), Pathophysiology of Shock, Anoxia, and Ischemia (book review), 112

Cpss (50), see under Potency, anesthetic Craniotomy, see under Surgery

Crossmatch, see under Transfusion Cuffs, see under Equipment Cyanide, see under Toxicity

D

Dantrolene, see under Neuromuscular relaxants

Deep body thermometry, see under Measurement techniques

Delayed awakening, see under Complications

Delirium, see under Psychologic responses; Recovery

Delivery systems, see under Oxygen

Diet, see under Nutrition

Diethyl ether, see under Anesthetics. volatile

Digitalis, see under Heart

DiGeorge syndrome, see under Anestaesia, pediatric

Disposables, see under Equipment

Distribution, see wader Pharmacokinetics; Solubility; Ventilation

Doppler equipment, see under Equipment

Doppler monitoring, see under Monitoring

Doppler sensor, see under Equipment

Dose-response, see under Potency, anesthetic

Droperidol, see under Anesthetics, intravenous

Drugs, see under Analgesics; Anesthetics; Biotransformation (drug);

Interactions; Pharmacology

Duchenne muscular dystrophy, see under Muscle, skeletal

Dysrhythmias, see under Heart

Dystonia, see under Muscle, skeletal

E

Ear

eustachian tube, neuroma excision, and nitrous oxide anesthesia, symptomatic pneumocephalus after (clinical report) [Miller & Furman], 281

middle ear, neuroma excision, and nitrous oxide anesther a, symptomatic pneumocephalus after (clinical report) [Miller & Furman]. 281

ED50, see under Potency, anesthetic

Edema, see under Complications; specific systemic sites Education

critiquing anesthetic management in, "ATTENDING" computer system for (special article) [Miller], 362

publications, use of negative exponents in (editorial view) [Michenfelder], 305

Eisenmenger's syndrome, see under Lung(s)

Electroconvulsive therapy

complications of, propranolol in prophylaxis of (clinical report) [Hood & Mecca], 379

Electroencephalography, see under Brain; Monitoring

Electrolytes, see under Acid-base equilibrium; Fluid balance; Ions Embolism

air

detection of (editorial view) [Albin], 113

prevention of, in insertion of epidural catheter (correspondence)
[Larson], 587

- prevention of, in insertion of epidural catheter (correspondence) [Naulty], 588
- risk of, during catheter placement (correspondence) [Munshi & Rouman], 206
- risk of, during catheter placement (correspondence) [Westheimer], 206
- transesophageal Doppler for detection of [Martin & Colley], 117 transesophageal echocardiography for detection of [Furuya, Suzuki, Okumura, Kishi, & Uefuji], 124
- and valve competence of pulmonary artery catheter introducers (clinical report) [Conahan, Barberii, & Calkins], 189
- pulmonary, silicone, during therapeutic arterial embolization (clinical report) [Capan, Lardizabal, Sinha, Ashok, Berenstein, & Turndorf], 569
- therapeutic, silicone, acute pulmonary embolism during (clinical report) [Capan, Lardizabal, Sinha, Ashok, Berenstein, & Turndo: f], 569
- thromboembolism, fatal, secondary to limb exsanguination (clinical report) [Polland, Lovelock, & Jones], 373
- Embolizing substance, see under Emb-lism
- Emphysema, see under Complications
- End-exhalation, see under Ventilation
- Endorphins, see under Brain; Polypeptides
- Endotracheal intubation, see under Intubation
- Endotracheal tubes, see under Equipment
- Endotracheat tubes, see under Equipment
- Enflurane, see under Anesthetics, volatile
- Enzymes
 - cholinesterase, inhibitors, and nitrous oxide withdrawal syndrome [Rupreht, Dworacek, Ducardus, Schmitz, & Dzoljic], 524
 - pseudocholinesterase, in prolonged effect of succinylcholine in renal failure (clinical report) [Bishop & Hornbein], 384
- Epidural anesthesia, see under Anesthetic techniques, peridural Epilepsy, see under Brain
- Epinephrine, see under Heart, arrhythmias; Sympathetic nervous system, catecholamines

Equipment

- adapters, and simple system for transtracheal ventilation (correspondence) [Gildar], 106
- airway device, for ophthalmic and head and neck surgery (correspondence) [Bedger, Chang, Larson, & Bleyaert], 199

alarms

- and advantages of standing bellows ventilators and low-flow techniques (correspondence) [Graham], 486
- disconnect, failure of (correspondence) [Reynolds], 488
- analyzers, oxygen, failure to use to prevent hypoxic accidents (correspondence) [Rendell-Baker & Meyer], 287

anesthesia machine(s)

- cluttered, as cause for hypoxia (correspondence) [Henling & Diaz], 288
- fault in, due to design and lack of maintenance (correspondence) [McMahon, Holm, & Batra], 586
- fault in, due to design and lack of maintenance, manufacturer's comment on (correspondence) [Rosano], 587
- Ohio Modulus®, tank wrench holder for (correspondence) [Wald & Neidzwski], 109
- potentially fatal fault in (correspondence) [Julien], 584
- potentially fatal fault in, manufacturer's comment on (correspondence) [Luich], 585

bypass valve

faulty (correspondence) [Julien], 584

- faulty, manufacturer's comment on (correspondence) [Luich], 585
- cannulus, intravenous, standard colors for (correspondence) [Rendell-Baker], 194

catheter(s)

central venous double-lumen right atrial, for open heart surgery (correspondence) [Marquez, Sassano, Winter, & Waterman], 394

epidural

- new, hazard of (correspondence) [Frankhouser], 293
- new, hazard of (correspondence) [Lingenfelter], 292
- technique is critical variable in (correspondence) [Larson], 587 technique is critical variable in (correspondence) [Naulty], 588

flow-directed

- airway thermistor, detection of end-exhalation period by (clinical report) [Oden, Mitchell, & Benumof], 467
- flow-directed pediatric pulmonary artery, migration of (clinical
- report) [Moore, Mc Nicholas, Gallagher, & Niguidula], 102 flow-directed pulmonary artery, valve competence in introducers of (clinical report) [Conahan, Barberii, & Calkins],
- measurement of, in epidura! space (correspondence) [Horrow],
- placement, risk of air embolism during (correspondence) [Munshi & Rouman], 206
- placement, risk of air embolism during (correspondence) [Westheimer], 206
- pulmonary artery, in Eisenmenger's syndrome (correspondence)
 [Noble, Devitt, & Byrick], 589
- pulmonary artery, in Eisenmenger's syndrome (correspondence)
- [Robinson], 588 for transtracheal ventilation (correspondence) [Gildar], 106
- for transtracheal ventilation (correspondence) [Gildar], 106 venous, and catheter introducer sheaths, valve competence in (clinical report) [Conahan, Barberii & Calkins], 189

circuits

- anesthetic, inseparable (correspondence) [Thys], 203
- nonrebreathing, Bain (correspondence) [Dean & Keenan], 393
- nonrebreathing, Bain (correspondence) [Nott & Norman], 392
- computers, "ATTENDING" for critiquing anesthetic management (special article) [Miller], 362

connectors

- and advantages of standing bellows ventilators and low-flow techniques (correspondence) [Graham], 486
- APL valves, adapter kit available to update (correspondence) [Luich], 200
- and disconnect alarm failure (correspondence) [Reynolds], 488 inseparable disposable (correspondence) [Thys], 203

cuffs

- blood pressure, Dinamap® adaptation for (correspondence) [Zmyslowski & Lena], 583
- tracheal, and obstruction of intraluminal tracheal tube (correspondence) [Famewo], 593
- disposable, inseparable (correspondence) [Thys], 203

Doppler

in detection of air embolism (editorial view) [Albin], 113 esophageal, for detection of air embolism [Martin & Colley], 117

echocardiography

- for detection of air embolism [Furuya, Suzuki, Okumura, Kishi, & Uefuji], 124
- in evaluation of cardiac disease (editorial view) [Albin], 113

Equipment—Growth hormone

flush valve

slow, due to design and lack of maintenance (correspondence) [McMahon, Holm, & Basra], 586

slow, due to design and lack of maintenance, manufacturer's comment on (correspondence) [Rosano], 587

Hope® II resuscitation bag, faulty, pulmonary barotrauma resulting from (clinical report) [Jumper, Desai, Liu, & Philip], 572

J-wire

8

for placement of right atrial catheter (correspondence) [Munshi & Roumanl, 206

for placement of right atrial catheter (correspondence) [Westheimerl, 206

laryngoscope

blade, left-entry, in right-sided oro-facial lesions (correspondence) [Lagade & Poppers], 300

Macintosh blade, modification of (correspondence) [Ibler], 200 machines, anesthesia, APL valves, adapter kit available to update (correspondence) [Luich], 200

mask(s)

anesthesia, inseparable from circuit (correspondence) [Thys], 203 anesthesia, for ophthalmic and head and neck surgery (correspondence) [Bedger, Chang, Larson, & Bleyaert], 199

nasogastric tube, simpler method for insertion of (correspondence) [Huang], 107

percutaneous catheter introducers, pulmonary artery, valve competence in (clinical report) [Conahan, Barberii, & Calkins],

scavengers, colored identification bands on hoses of (correspondence) [Luich], 200

standards, and colors for intravenous cannulas (correspondence) [Rendell-Baker], 194

stethoscope cuff, esophageal, detachment of (correspondence) [Gandhi & Dhameel, 202

support pads, intravenous fluid containers as (correspondence) [Brown & Cadena], 301

tuber

endotracheal

beware of sharp edges in (correspondence) [Skaredoff & Pop-

beware of sharp edges in (correspondence) [Weibel & Mathews], 595

cuff design and lubrication as influence on postoperative sore throat (clinical report) [Loeser, Kaminsky, Diaz, Stanley, & Pacel, 376

intraluminal tracheal, obstruction, not so apparent cause of (correspondence) [Famewo], 593

valves, APL, adapter kit to update (correspondence) [Luich], 200 ventilator(s)

Narco Air Shields, blistering of epoxy material of (correspondence) [Storham & Moss], 390

standing bellows and low-flow techniques (correspondence) [Grahaml, 486

wrench holder, for Ohio Modulus® anesthesia machine (correspondence) [Wald & Neidzwski], 109

Ethanol, see under Pharmacology

Etidocaine, see under Anesthetics, local Eustachian tube, see under Ear

Evoked potentials, see under Brain

Exhaust systems, see under Equipment

Explosions

see also under Complications

of colonic gas mixtures

etiologic factors in (correspondence) [Freund & Radke], 196 etiologic factors in (correspondence) [Rumley], 195

Fentanyl, see under Anesthetics, intravenous

Fiberoptic endotracheal intubation, see under Intubation

in measurement of catheter length (correspondence) [Horrow], 198

Flow-directed catheters, see under Equipment

Fluoride, see under Biotransformation; Ions

Fluorometabolites, see under Biotransformation (drug); Pharmacology; Toxicity

Flush value, see under Equipment

Gallamine, see under Neuromuscular relaxants

Gas exchange measurements, see under Measurement techniques

nonanesthetic

explosive colonic, etiologic factors in determining (correspondence) [Freund & Radke], 196

explosive colonic, etiologic factors in determining (correspondence) [Rumley], 195

nitrogen, in mixing air and oxygen (correspondence) [Des-Marteau & Byles], 490

Gases, see under Anesthetics, gases; Anesthetics, volatile; Carbon dioxide; Gases, nonanesthetic; Oxygen; Physics

Gastrocnemius muscle, see under Muscle

Gastrointestinal tract

colon

explosive gas mixtures in, etiologic factors in (correspondence) [Freund & Radke], 196

explosive gas mixtures in, etiologic factors in (correspondence) [Rumley], 195

intubation, simpler method of nasogastric tube insertion for (correspondence) [Huang], 107

ischemic damage to, following profound arterial hypotension [Dong, Bledsoe, Eng, Heavner, Shaw, Hornbein, & Anderson], 61 stomach

and buffering capacity of citrate antacids (correspondence) [Conklin & Ziadlou-Rad], 391

particulate antacids and (correspondence) [Eyler & Zaccari], 591 particulate antacids and (correspondence) [Gibbs & Banner], 592 and sodium citrate as antacid for Cesarean section (correspondence) [Stoops, Ravindran, & Viegas], 201

Genetic factors

and age-dependent alterations in nitrous oxide requirement of mice [Koblin, Lurz, & Eger], 428

Glucose, see under Blood; Brain; Metabolism

Gothard, J. W. W., and Branthwaite, M. A., Anaesthesia for Thoracic Surgery (book review), 304

Growth hormone, see under Hormones

Grundy, B. I.., and Gravenstein, J. S. (eds.), The Quality of Care in Anesthesia (book review), 207

Guanethidine, see under Sympathetic nervous system

Guenter, C. A., and Welch, M. H., Pulmonary Medicine, Second Edition (book review), 111

Hallervorden-Spatz disease, see under Muscle Halothane, see under Anesthetics, volatile Head surgery, see under Surgery

accessory pathway, fentanyl and droperidol effects on refractoriness of, in Wolff-Parkinson-White syndrome [Gómez-Arnau, Márquez-Montes, & Avello], 307

anesthetics, effects of halothane and enflurane on, during pentobarbital sodium anesthesia, [Mote, Pruett, & Gramling], 53 arrhythmias(s)

during coronary ligation, effects of halothane, fentanyl, and no anesthesia on, compared [MacLeod, Augereau, & Walker],

in epinephrine-halothane interactions in children [Karl, Swedlow, Lee, & Downesl, 142

and plasma levels of epinephrine during halothane, enflurane, and pentobarbital anesthesia in dog [Sumikawa, Ishizaka, & Suzaki], 322

prevention, intravenous verapamil in, in mitral valve disease (clinical report) [Kopman], 374

thiobarbiturates induce

in dogs (correspondence) [Dresel & Smith], 395 in dogs (correspondence) [Seeler & Thurman], 394

blood flow during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Milde], 18

cardiac output

effects of halothane and enflurane on, during pentobarbital sodium anesthesia [Mote, Pruett, & Gramling], 53

vecuronium and pancuronium influence on, in patients undergoing coronary artery bypass grafting [Morris, Cahalan, Miller, Wilkinson, Quasha, & Robinson], 438

cardiotoxicity, in bupivacaine, in pregnant patient with mitral valve prolapse (correspondence) [Conklin & Ziadlou-Rad], 596

congenical defects, pediatric pulmonary artery catheters in, migration of (clinical report) [Moore, Mc Nicholas, Gallagher, & Niguidula], 102

contractility

and effects of enflurane on left ventricular function in intact and isolated canine heart [Zimpfer, Gilly, Krosi, Schlag, & Steinbereithnerl, 159

effects of halothane and enflurane on, during pentobarbital sodium anesthesia [Mote, Pruett, & Gramling], 53

coronary occlusion, during coronary ligation, effects of halothane, fentanyl, and no anesthesia on, compared [MacLeod, Augereau, & Walker], 44

digitalis, dysrhythmias following muscle relaxant administration in patients receiving (clinical report) [Bartolone & Rao], 567

dysrhythmias, following muscle relaxant administration in patients receiving digitalis (clinical report) [Bartolone & Rao], 567

ischemic damage to, following profound arterial hypotension [Dong, Bledsoe, Eng, Heavner, Shaw, Hornbein, & Anderson], 61

metabolism, during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen; & Milde], 18

mitral valve, prolapse, in pregnant patient, be pivacaine cardiotoxicity in (correspondence) [Conklin & Ziadlou-Rad], 596

mitral valve disease, intravenous verapamil to relieve pulmonary congestion in (clinical report) [Kopman], 374

myocardial function

effects of halothane and enflurane on, during pentobarbital sodium anesthesia [Mote, Pruett, & Gramling], 53

importance of, in determining effects of enflurane on left ventricular function [Zimpfer, Gilly, Krosi, Schlag, & Steinbereithner], 159

oxygen consumption, during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Milde], 18

pacemakers, artificial, malfunction associated with positive-pressure ventilation (clinical report) [Thiagarajah, Azar, Agres, & Learl, 565

pulse, rate, and anesthetic potency for enflurane (correspondence) [Kissin & Morgan], 109

rate, response to nociceptive stimulation as index of anesthetic potency for enflurane (correspondence) [Kissin & Morgan],

sinoatrial node, effects of halothane, enflurane, and isoflurane on [Bosnjak & Kampine], 314

tachycardia, termination of, intravenous verapamil in, in mitral valve disease (clinical report) [Kopman], 374

vascular pressure, vecuronium and pancuronium influence on, in patients undergoing coronary artery bypass grafting [Morris, Cahalan, Miller, Wilkinson, Quasha, & Robinson], 438

ventricles

in Eisenmenger's syndrome, pulmonary artery catheters and (correspondence) [Noble, Devitt, & Byrick], 589

in Eisenmenger's syndrome, pulmonary artery catheters and (correspondence) [Robinson], 588

ventricular work, gram-meter and (correspondence) [Frank], 297 Wolff-Parkinson-White syndrome, fentanyl and droperidol effects on refractoriness of accessory pathway in [Gómez-Arnau, Márquez-Montes, & Avello], 307

Heart rate, see under Heart

Heat, noxious, see under Pain

Hemodilution, see under Blood

Hemorrhage

estimating allowable blood loss in: corrected for dilution (clinical report) [Gross], 277

massive occult retroperitoneal, during hip surgery (clinical report) [Brizgys & Hicks], 473

Hepatic, see under Liver

Hepatotoxicity, see under Liver

Histamine

release, study of changes in, with BW A444U-induced block [Savarese, Ali, Basta, Sunder, Moss, Gionfriddo, Lineberry, Wastila, El-Sayad, Montague, & Braswell], 333

History

embolism, air (editorial view) [Albin], 113

of gram-meter (correspondence) [Frank], 297

Japanese pioneer in clinical use of intrathecal morphine (correspondence) [Matsuki], 289

SI units (correspondence) [deJong], 296

aldosterone, effect of PEEP ventilation on [Annat, Viale, Xuan, Aissa, Benzoni, Vincent, Gharib, & Motin], 136

antidiuretic, effect of PEEP ventilation on [Annat, Viale, Xuan, Aissa, Benzoni, Vincent, Gharib, & Motin], 136

growth deficiency, in suprasellar tumor, juvenile airway in adult with (clinical review) [Veselis & Korbon], 481

prostaglandins, effect of PEEP ventilation on [Annat, Viale, Xuan, Aissa, Benzoni, Vincent, Gharib, & Motin], 136

thyroid, pretreatment, isoflurane and enflurane-induced hepatic necrosis in [Berman, Kuhnert, Phythyon, & Holaday], 1

vasopressin, plasma renin, and catecholamine, during nitroprussideinduced hypotension in ewes [Zubrow, Daniel, Stark, Husain, & James], 245

Hydrothorax, see under Complications

Hyperpyrexia, see under Hyperthermia

Hypertension, see under Blood pressure; Complications; Lung(s) Hyperthermia

malignant pyrexia

anesthetic management of child with asthma and presumed susceptibility to (clinical report) [Vaughn, Casson, & Hirshman], 283

in Duchenne muscular dystrophy (clinical report) [Brownell, Paasuke, Elash, Fowlow, Seagram, Diewold, & Friesen], 180

halothane-induced ATP depletion in platelets from patients susceptible to [Giger & Kaplan], 347

prophylactic use of dantrolene for (correspondence) [Wingard], 489

Hypnotics

barbiturates, pentobarbital, and triidothyronine pretreatment, liver necrosis in [Berman, Kuhnert, Phythyon, & Holaday], 1

Hypokalemic periodic paralysis, see under Complications Hypotension, see under Anesthetic techniques; Blood pressure; Complications; Position; Shock

Hypothermia

see also under Anesthetic techniques; Temperature

and barbiturates, effects of, on cerebral oxygen consumption [Steen, Newberg, Milde, & Michenfelder], 527

cardiopulmonary bypass with, pancuronium in [d'Hollander, Duvaldestin, Henzel, Nevelsteen, & Bomblet], 505

deep body thermometry in, during general anesthesia (clinical report) [Muravchick], 271

and electroencephalogram (correspondence) [Levy], 396

and electroencephalogram (correspondence) [Sharbrough, Quasha, & Tinker], 396

pancuronium retains potency at [Horrow & Bartkowski], 357 Hypoxia

alveolar, intermittent, increases lobar hypoxic pulmonary vasoconstriction [Benumof], 399

cluttered anesthesia machine as cause for (correspondence) [Henling & Diaz], 288

failure to use oxygen analyzers to prevent (correspondence) [Rendell-Baker & Meyer], 287

hypoxic pulmonary vasoconstriction, lobar, intermittent hypoxia increases [Benumof], 399

and pulmonary barotrauma, in accidental disconnection (correspondence) [Rendell-Baker & Meyer], 286

pulmonary blood pressure and flow during, in dog [Glasser, Domino, Lindgren, Parcella, Marshall, & Marshall], 225

Immune response

acquired immunodeficiency disease (AIDS), and blood products (editorial view) [Miller & Bove], 493

Infection

opportunistic, acquired immunodeficiency syndrome (AIDS) and blood products and (editorial view) [Miller & Bove], 493

Influenza, see under Virus(es)

Interactions (drug)

see also Antagonists, narcotic; Antagonists, neuromuscular relaxants; Pharmacology

in succinylcholine infusion during isoflurane anesthesia [Donati & Bevan], 6

Introducers, see under Equipment

Intubation

complications, in juvenile airway in adult with suprasellar tumor (clinical report) [Veselis & Korbon], 481

endotracheal

complications

and influence of tube cuff design and lubrication on postoperative sore throat (clinical report) [Loeser, Kaminsky, Diaz, Stanley, & Pace], 376

obstruction (correspondence) [Famewo], 593

sharp edges causing (correspondence) [Skaredoff & Poppers], 595

sharp edges causing (correspondence) [Weibel & Mathews], 595

fiberoptic, for surgical corrections in flexion deformity of cervical spine (clinical report) [Ovassapian, Land, Schafer, Cerullo, & Zalkind], 370

in juvenile airway in adult with suprasellar tumor (clinical report)
[Veselis & Korbon], 481

modification of Macintosh laryngoscope blade for (correspondence) [Ibler], 200

and simple system for transtracheal ventilation (correspondence) [Gildar], 106

technique

in acquired laryngeal deviation in erosive polyarticular arthritis [Keenan, Stiles, & Kaufman], 441

guided, complication following (correspondence) [Adams], 105

in patient with Hallervorden-Spatz disease (clinical report) [Roy, McLain, Wise, & Shaffner], 382

for surgical corrections in flexion deformity of cervical spine (clinical report) [Ovassapian, Land, Schafer, Cerullo, & Zalkind] 370

Ts of (correspondence), [Zmyslowski & Janfasa], 107

nasotracheal

aid to (correspondence) [Berger & Stirt], 105

guided, complication following (correspondence) [Adams], 105

Ions

calcium

in DiGeorge syndrome anesthesia for surgery in (clinical report) [Flashburg, Dunbar, August, & Watson], 479

and halothane sensitization of carotid sinus baroreceptors [Seagard, Hopp, Bosnjak, Elegbe, & Kampine], 432

electrolyte imbalance, in ammonia toxicity from glycine absorption during urologic surgery (clinical report) [Roesch, Stoelting, Lingeman, Kahnoski, Backes, & Gephardt], 577

potassium, and hypokalemic familial periodic paralysis (clinical report) [Melnick, Chang, Larson, & Bedger], 263

sodium, imbalance of, in ammonia toxicity from glycine absorption during urologic surgery (clinical report) [Roesch, Stoelting, Lingeman, Kahnoski, Backes, & Gephardt], 577

Isoflurane, see under Anesthetics, volatile

I

Jehovah's Witnesses, see under Organizations Jugular vein, see under Veins J-wire, see under Equipment

K

Kaposi's sarcoma, see under Cancer Kawasaki disease, see under Complications Ketamine, see under Anesthetics, intravenous Kidney

blood flow, during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Milde], 18

failure, prolonged effect of succinylcholine after neostigmine and pyridostigmine in (clinical report) [Bishop & Hornbein], 384

function, effect of PEEP ventilation on [Annat, Viale, Xuan, Aissa, Benzoni, Vincent, Gharib, & Motin], 136

metabolism, during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Milde], 18

oxygen consumption, during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Milde], 18

transplantation, prolonged effect of succinylcholine after neostigmine and pyridostigmine in (clinical report) [Bishop & Hornbein], 384

Kinetics, see under Pharmacokinetics

¥

Laryngoscopes, see under Equipment; Intubation Laryngoscopy, see under Anesthetic techniques; Larynx; Surgery Larynx

surgery of

beware of sharp edges of endotracheal tubes during (correspondence) [Skaredoff & Poppers], 595

beware of sharp edges of endotracheal tubes during (correspondence) [Weibel & Mathews], 595

LD50, see under Potency, anesthetic

Lidocaine, see under Anesthetics, local; Heart, arrhythmias Liver

blood flow, during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Milde], 18

enzymatic activity, in ethanol-treated rats, enflurane, isoflurane, and methoxyflurane metabolism and [Van Dyke], 221

function, in ethanol-treated rats, enflurane, isoflurane, and methoxyflurane metabolism and [Van Dyke], 221

hepatotoxicity

halothane, etiology of (correspondence) [Strunin, Harrison, & Davies], 391

isoflurane and enflurane-induced, in triiodothyronine pretreatment, 1 [Berman, Kuhnert, Phythyon, & Holaday], 1

ischemic damage to, following profound arterial hypotension [Dong, Bledsoe, Eng, Heavner, Shaw, Hornbein, & Anderson], 61 metabolism, during 24 hours deep pentobarbital anesthesia [Gro-

nert, Michenfelder, Steen, & Milde], 18 oxygen, consumption, during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Milde], 18

Lumbar anesthesia, see under Anesthetic techniques, peridural;

Lung(s)

asthma, and presumed susceptibility to malignant hyperthermia,

anesthetic management of child with (clinical report) [Vaughn, Casson, & Hirshman], 283

611

atelectasis, in dog, pulmonary blood pressure and flow during [Glasser, Domino, Lindgren, Parcella, Marshall, & Marshall], 225

blood flow

in acute pulmonary embolism during therapeutic arterial embolization (clinical report) [Capan, Lardizabal, Sinha, Ashok, Berenstein, & Turndorf], 569

as dependent upon initial state of vasculature (correspondence) [Bagshaw & Cox], 205

and blood pressure during atelectasis in dog [Glasser, Domino, Lindgren, Parcella, Marshall, & Marshall], 225

in intermittent hypoxia [Benumof], 399

and mixed venous O_2 tension, effects of, on gas exchange [Bishop & Cheney], 130

in nitroglycerin and nitroprusside in pulmonary hypertension [Pearl, Rosenthal, & Ashton], 514

bronchus, local anesthetics as bronchodilator aerosols and [Downes, Hirshman, & Leon], 216

compliance

in alternating lung ventilation in dogs [Muneyuki, Kor.ishi, Horiguchi, [Tsujimoto, Saito, Sakakura, & Konishi], 353

in response to local anesthetics as bronchodilator aerosols [Downes, Hirshman, & Leon], 216

edema, and effects of pulmonary blood flow and mixed venous O₂ tension on gas exchange [Bishop & Cheney], 130

Eisenmenger's syndrome

pulmonary artery catheters in (correspondence) [Noble, Devitt, & Byrick], 589

pulmonary artery catheters in (correspondence) [Robinson], 588 hypertension, misdiagnosis of, in migration of pediatric pulmonary artery catheters (clinical report) [Moore, Mc Nicholas, Gallagher, & Niguidula], 102

intravascular pressures, in alternating lung ventilation in dogs [Muneyuki, Konishi, Horiguchi, Tsujimoto, Saito, Sakakura, & Konishi], 353

lymph flow, and pure oxygen breathing [Erdmann, Huttemeier, Landolt, & Zapol], 153

macrophages, microbicidal activity of, halothane inhibits (laboratory report) [Welch], 456

obstructive pulmonary disease, chronic, ventilation after thiopensal and midatolam in [Gross, Zebrowski, Carel, Gardner, & Smith], 540

pneumonia, induced by diethyl ether, halothane, enflurane, and pentobarbital anesthesia in mice [Knight, Bedows, Nahrwold, Maassab, Smitka, & Busch], 209

pulmonary artery

diastolic-pulmorary artery occluded pressure gradient, resistance versus (correspondence) [Hilgenberg], 484

diastolic-pulmonary artery occluded pressure gradient, resistance versus (correspondence) [Schulte-Sasse, Hess, & Tarnow], 486

initial state of, pulmonary vascular response is dependent upon (correspondence) [Bagshaw & Cox], 205

response, intermittent hypoxia increases [Benumof], 399 respiratory distress syndrome, pulmonary blood flow and mixed venous O₂ tension studies in [Bishop & Cheney], 130

respiratory resistance, in response to local anesthetics as bronchodilator aerosols [Downes, Hirshman, & Leon], 216

trachea, and simple system for transtracheal ventilation (correspondence) [Gildar], 106 vascular permeability, pure oxygen breathing increases [Erdmann, Huttemeier, Landolt, & Zapol], 153

vascular resistance

altered, in migration of pediatric pulmonary artery catheters (clinical report) [Moore, Mc Nicholas, Gallagher, & Niguidula], 102

is dependent upon initial state of vasculature (correspondence)
[Bagshaw & Cox], 205

intermittent hypoxia increases [Benumof], 399

pulmonary artery diastolic-pulmonary artery occluded pressure gradient versus (correspondence) [Hilgenberg], 484

pulmonary artery diastolic-pulmonary artery occluded pressure gradient versus (correspondence) [Schulte-Sasse, Hess, & Tarnow], 485

Lymph, see under Blood; individual organs

M

Machines, anesthesia, see under Equipment Macrophages, see under Lung(s) Malignant pyrexia, see under Hyperthermia Masks, anesthesia, see under Equipment Mathematics, see under Measurement techniques

Measurement techniques

chromatography, high-pressure liquid, in study of halothane-induced ATP depletion in platelets from patients susceptible to malignant hyperthermia [Giger & Kaplan], 347

computer, hand-held, for assuring proper drug dosage (correspondence) [Goyette], 202

finger, for measurement of catheter length (correspondence) [Horrow], 198

gas exchange, lung model for testing (correspondence) [Stenqvist & Sonander], 594

mathematics, use of negative exponents in (editorial view) [Michenfelder], 305

neuromuscular blockade

long-term succinylcholine, during isoflurane anesthesia [Donati & Bevan], 6

succinylcholine in, potentiation with isoflurane [Donati & Bevan], 552

pulmonary vascular resistance (correspondence) [Hilgenberg], 484 pulmonary vascular resistance (correspondence) [Schulte-Sasse, Hess, & Tarnow], 485

regional, cerebral glucose utilization (correspondence) [Crosby & Sokoloff], 291

regional, cerebral glucose utilization (correspondence) [Hawkins, Hass, & Ransohoff], 290

SI units (correspondence) [deJong], 296

thermometry, deep body, during general anesthesia (clinical report) [Muravchick], 271

venous pressure, for open heart surgery (correspondence) [Marquez, Sassano, Winter, & Waterman], 394

Membrane cell

SA node, effects of halothane, enflurane, and isoflurane on, [Bosnjak & Kampine], 314

Metabolism

adenosine triphosphate, halothane-induced depletion of, in platelets from patients susceptible to malignant hyperthermia [Giger & Kaplan], 347

metabolites

of enflurane, isoffurane, and methoxyflurane in rat hepatic microsomes from ethanol-treated animals [Van Dyke], 221 by rat hepatic microsomes, following ethanol consumption [Rice,

Dooley, & Mazze], 237

oxygen consumption, during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Milde], 18

respiratory quotient, measurements, lung model for testing (correspondence) [Stenqvist & Sonander], 594

sodium citrate

neutralizing capacity of (correspondence) [Eyler & Zaccari], 591 neutralizing capacity of (correspondence) [Gibbs & Banner], 592 thiopental, and protein binding [Burch & Stanski], 146

Metabolites, see under Metabolism; Toxicity Methoxyflurane, see under Anesthetics, volatile Metocurine, see under Neuromuscular relaxants Metrizamide, see under Pharmacology Midazolam, see under Anesthetics, intravenous Mitral valve disease, see under Heart

Mitral valve prolapse, see under Heart Models, see under Membranes; Pharmacokinetics

Monitoring

blood pressure, neonatal Dinamap® adaptation for (correspondence) [Zmyslowski & Lena], 583

central venous pressure, and right hydrothorax after left external jugular vein catheterization (clinical report) [Ghani & Berry], 93

Doppler, esophageal, for detection of air embolism [Martin & Colley], 117

electroencephalogram

hypothermia and (correspondence) [Levy], 396

hypothermia and (correspondence) [Sharbrough, Quasha, & Tinker], 396

electroencephalography, after metrizamide (correspondence) [Pyles & Pashayan], 590

evoked potentials, intraoperative (correspondence) [Raudzens], 593 intraoperative, of sensory-evoked potentials (medical intelligence) [Grundy], 72

neuromuscular blockade, with vecuronium in children [Fisher & Miller], 519

neuroradiology, anesthesia and (correspondence) [Pyles & Pashayan], 590

oxygen

and accidental disconnection, pulmonary barotrauma in (correspondence) [Rendell-Baker & Meyer], 286

failure in, in prevention of hypoxic accidents (correspondence) [Rendell-Baker & Meyer], 287

pressure

pulmonary artery, in Eisenmenger's syndrome (correspondence) [Noble, Devitt, & Byrick], 589

pulmonary artery, in Eisenmenger's syndrome (correspondence) [Robinson], 588

in prevention of patient abuse [Betts & Nicholson] (editorial view), 115

pulmonary artery, pressure, and detection of end-exhalation period by airway thermistor (clinical report) [Oden, Mitchell, & Benumof], 467

somatosensory-evoked potentials, during surgical correction of flex-

stimulator, nerve, in study of train-of-four response in fast and slow muscles [Day, Blake, Standaert, & Dretchen], 414

sascular pressures, continuous flush, hazard of, in infants (clinical report) [Morray & Todd], 187

Morphine, see under Analgesics, narcotic; Anesthetic techniques; Anesthetics, narcotic

Moyamoya disease, see under Brain

Mucocutaneous lymph node syndrome, see under Complications Muscle

gastrocnemius, train-of-four response in: effect of *d*-tubocurarine, pancuronium, and vecuronium [Day, Blake, Standaert, & Dretchen], 414

skeletal

blood flow, during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Milde], 18

contractility, in Hallervorden-Spatz disease, and anesthetic management (clinical report) [Roy, McLain, Wise, & Shaffner], 382

Duchenne muscular dystrophy, malignant hyperthermia in (clinical report) [Brownell, Paasuke, Elash, Fowlow, Seagram, Diewold, & Friesen], 180

dystonia, anesthetic management in (clinical report) [Roy, McLain, Wise, & Shaffner], 382

Hallervorden-Spatz disease, anesthetic management in (clinical report) [Roy, McLain, Wise, & Shaffner], 382

in hypokalemic familial periodic paralysis (clinical report) [Melnick, Chang, Larson, & Bedger], 263

metabolism, during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Milde], 18

oxygen consumption, during 24 hours deep pentobarbital anesthesia [Gronert, Michenfelder, Steen, & Milde], 18

soleus, train-of-four response in: effect of d-tubocurarine, pancuronium, and vecuronium [Day, Blake, Standaert, & Dretchen], 414

Myalgia, see under Pain Myocardium, see under Heart

N

Nasogastric tube, see under Equipment

Nasopharyngeal insufflation, see under Anesthetic techniques

Nasotracheal intubation, see under Intubation

Neck surgery, see under Surgery

Neostigmine, see under Antagonists, neuromuscular relaxants; Enzymes, cholinesterase

Nerve

accessory, permanent paralysis of, after cannulation of internal jugular vein (correspondence) [Zmyslowski & Lena], 583

damage, paralysis, after cannulation of internal jugular vein (correspondence) [Hoffman], 583

Neurolept anesthesia, see under Anesthetic techniques; Anesthetics,

Neuromuscular biockade, see under Measurement techniques Neuromuscular relaxants

atracurium

in surgical patients receiving balanced or isoflurane anesthesia [Sokoll, Gergis, Mehta, Ali, & Lineberry], 450

systemic vascular responses to, during enflurane-nitrous-oxide anesthesia [Hilgenberg, Stoelting, & Harris], 242

BW A444U, clinical pharmacology of [Savarese, Ali, Basta, Swider, Moss, Gionfriddo, Lineberry, Wastila, El-Sayad, Montague, & Braswell], 333

cardiovascular effects, evaluated in study of BW A444U [Savarese, Ali, Basta, Sunder, Moss, Gionfriddo, Lineberry, Wastila, El-Sayad, Montague, & Braswell], 333

dantrolene

for child with asthma and presumed susceptibility to malignant hyperthermia (clinical report) [Vaughn, Casson, & Hirshman], 283

prophylactic use of, for malignant hyperthermia (correspondence) [Wingard], 489

gallamine, does not retain potency at hypothermia [Horrow & Bartkowski], 357

metocurine

does not retain potency at hypothermia [Horrow & Bartkowski], 357

effects of pretreatment with, on fentanyl-induced rigidity (clinical report) [Jaffe & Ramsey], 562

pancuronium

dysrhythmias following administration of, in patients receiving digitalis (clinical report) [Bartolone & Rao], 567

effect of, and train-of-four response in fast and slow muscles [Day, Blake, Standaert, & Dretchen], 414

effects of pretreatment with, on fentanyl-induced rigidity (clinical report) [Jaffe & Ramsey], 562

long-acting analogue of (correspondence) [Boros], 108

retains potency at hypothermia [Horrow & Bartkowski], 357 and succinylcholine, blockade with, recovery of neuromuscular

function in perfused rat diaphragm after [Bartkowski], 409 variations in, induced by cardiopulmonary bypass with hypo-

variations in, induced by cardiopulmonary bypass with hypothermia [d'Hollander, Duvaldestin, Henzel, Nevelsteen, & Bomblet], 505

and vecuronium, cardiovascular effects of, in patients undergoing coronary artery bypass grafting [Morris, Cahalan, Miller, Wilkinson, Quasha, & Robinson], 438

and vecuronium, pharmacokinetics and pharmacodynamics of, in anesthetized humans [Cronnelly, Fisher, Miller, Gencarelli, Nguyen-Gruenke, & Castagnoli], 405

pipecurium, more information about (correspondence) [Boros], 108 succinylcholine

dysrhythmias following administration of, in patients receiving digitalis (clinical report) [Bartolone & Rao], 567

long-term infusion of, during isoflurane anesthesia [Donati & Bevan], 6

and pancuronium, blockade with, recovery of neuromuscular function in perfused rat diaphragm after [Bartkowski]. 409

phase II block, potentiation of, with isoflurane [Donati & Bevan], 552

prolonged effect of, after neostigmine and pyridostigmine in renal failure (clinical report) [Bishop & Hornbein], 384

"self-taming" with, and muscle pain (correspondence) [Verma], 487

d-tubocurarine

does not retain potency at hypothermia [Horrow & Bartkowski], 357 effect of, and train-of-four response in fast and slow muscles [Day, Blake, Standaert, & Dretchen], 414

vecuronium

effect of, and train-of-four response in fast and slow muscles, [Day, Blake, Standaert, & Dretchen], 414

neuromuscular effects of, in children [Fisher & Miller], 519

and pancuronium, cardiovascular effects of, in patients undergoing coronary artery bypass grafting [Morris, Cahalan, Miller, Wilkinson, Quasha, & Robinson], 438

and pancuronium, pharmacokinetics and pharmacodynamics of, in anesthetized humans [Cronnelly, Fisher, Miller, Gencarelli, Nguyen-Gruenke, & Castagnoli], 405

Neurons, see under Brain; Spinal cord

Neuroradiology, see under Monitoring

Neurosurgery, see under Surgery

Neurosurgical anesthesia, see under Anesthesia

Nitrogen, see under Gases, nonanesthetic

Nitroglycerin, see under Anesthetic techniques, hypotension, in-

Nitroprusside, see under Anesthetic techniques, hypotension, induced; Pharmacology; Toxicity

Nutrition

liquid

and intraoperative explosion during colon surgery (correspondence) [Freund & Radke], 196

and intraoperative explosion during colon surgery (correspondence) [Rumley], 195

Nitrous oxide, see under Anesthetics, gases

Nonrebreathing circuits, see under Equipment, circuits

Norepinephrine, see under Sympathetic nervous system, catecholamines

Obstetric anesthesia, see under Anesthesia

Obstetric surgery, see under Surgery

Obstruction, see under Airway; Arteries; Gastrointestinal tract;

Obstructive pulmonary disease, see under Lung(s)

Ophthalmic surgery, see under Surgery

Opiate receptors, see under Receptors

ORG NC45, see under Neuromuscular relaxants

Organizations

Anesthetic Toxicity Symposium, at Gull Harbour (report of scientific meeting) [Brown], 208

Jehovah's Witnesses, intraoperative autotransfusion in bilateral adrenalectomy for pheochromocytoma in (clinical report) [Smith, Mihm, & Mefford], 182

Society of Cardiovascular Anesthesiologists, fourth annual meeting (report of scientific meeting) [Christian], 491

Orthopedic surgery, see under Surgery

Outpatient anesthesia, see under Anesthesia

Overdose, see under Toxicity

Oxygen

alveolar, and hypoxia and lobar hypoxic pulmonary vasoconstriction [Benumof], 399

blood levels, during atelectasis in dog [Glasser, Domino, Lindgren, Parcella, Marshall, & Marshall], 225

consumption, lung model for testing (correspondence) [Stenqvist & Sonander], 594

delivery system

faulty, due to design and lack of maintenance (correspondence) [McMahon, Holm, & Batra], 586

faulty, due to design and lack of maintenance, manufacturer's comment on (correspondence) [Rosano], 587

and method of mixing air and oxygen (correspondence) [DesMarteau & Byles], 490

potentially fatal fault in (correspondence) [Julien], 584

potentially fatal fault in, manufacturer's comment on (correspondence) [Luich], 585

failure to use analyzers of, to prevent hypoxic accidents (correspondence) [Rendell-Baker & Meyer], 287

pressure changes, in accidental disconnection, pulmonary barotrauma in (correspondence) [Rendell-Baker & Meyer], 286 toxicity, and lung microvascular permeability [Erdmann, Huttemeier, Landolt, & Zapol], 153

Oxygen analyzers, see under Equipment

Pacemakers, artificial, see under Equipment; Heart

causalgia

treatment of (correspondence) [Szeinfeld & Pallares], 295 treatment of (correspondence) [Teeple & Ghia], 294

effects of lumbar epidural morphine on [Kafer, Brown, Scott, Findlay, Butz, Teeple, & Ghial, 418

experimental, and effects of nitrous oxide, and transcutaneous electrical stimulation on brain potentials [Chapman, Schimek, Gehrig, Gerlach, & Colpitts], 250

facial, induced by music (correspondence) [Yanagida], 388

measurement, and effects of nitrous oxide, and transcutaneous electrical stimulation on brain potentials [Chapman, Schimek, Gehrig, Gerlach, & Colpitts], 250

myalgia, "self-taming" with succinylcholine and (correspondence) [Verma], 487

noxious heat

spinal fantanyl in suppression of [Suzukawa, Matsumoto, Collins, Kitahata, & Yuge], 510

WDR dorsal horn neuronal activity and, spinally administered morphine in suppression of [Homma, Collins, Kitahata, Matsumoto & Kawahara], 232

postoperative

cesarean section, epidural morphine in [Cohen & Woods], 500 epidural morphine analgesia in [Nordberg, Hedner, Mellstrand, & Dahlstrom], 545

stimulation, heart rate response to, as index of anesthetic potency for enflurane (correspondence) [Kissin & Morgan], 109

venipuncture, predicting of (correspondence) [Burstein & Vanga],

Pancuronium, see under Neuromuscular relaxants

Paralysis, see under Muscle, skeletal; Nerve, damage; Neuromuscular transmission

Parasympathetic nervous system

airway reactivity and (medical intelligence) [Hirshman], 170

Pediatric anesthesia, see under Anesthesia

Pentobarbital, see under Anesthetics, intravenous; Hypnotics, bar-

Perfusion, see under Lung(s), blood flow; Ventilation

Petty, C., Research Techniques in the Rat (book review), 111

615

Petty, T. L., Intensive and Rehabilitative Respiratory Care (book review),

Pharmacokinetics

distribution

fentanyl, and postoperative rigidity following anesthesia with (clinical report) [Christian, Waller, & Moldenhauer], 275 and protein binding in thiopental anesthesia [Burch & Stanski],

kinetics, and pharmacodynamics of vecuronium and pancuronium in anesthetized humans [Cronnelly, Fisher, Miller, Gencarelli, Nguyen-Gruenke, & Castagnoli], 405

lung model, for testing respiratory quotient measurements (correspondence) [Stengvist & Sonander], 594

metabolism, and protein binding, in thiopental anesthesia [Burch & Stanskil, 146

model, of vecuronium and pancuronium in anesthetized humans [Cronnelly, Fisher, Miller, Gencarelli, Nguyen-Gruenke, & Castagnoli], 405

morphine

and biphasic depression of ventilatory responses to CO2 following [Kafer, Brown, Scott, Findlay, Butz, Teeple, & Ghia], 418 epidural [Nordberg, Hedner, Mellstrand, & Dahlstrom], 545

sodium thiosulfate, in humans, relation to sodium nitroprusside toxicity [Ivankovich, Braverman, Stephens, Shulman, & Heyman], 11

Pharmacology

drug dosage, simple means of assuring proper (correspondence) [Goyette], 202

ethanol

and enflurane, isoflurane, and methoxyflurane metabolism in hepatic microsomes of rats treated with [Van Dyke], 221 and metabolism by rat hepatic microsomes of fluorinated ether

anesthetics [Rice, Dooley & Mazze], 237

metrizamide, in neuroradiology, anesthesia and (correspondence) [Pyles & Pashayan], 590

nitroglycerin, in pulmonary hypertension in dogs, [Pearl, Rosenthal, & Ashtonl, 514

nitroprusside

and halothane sensitization of carotid sinus baroreceptors [Seagard, Hopp, Bosnjak, Elegbe, & Kampinel, 432

in pulmonary hypertension in dogs [Pearl, Rosenthal, & Ashton],

and sodium thiosulfate disposition in humans [Ivankovich, Braverman, Stephens, Shulman, & Heyman], 11

in study of cerebrovascular response to hypotension in hypertensive rats [Hoffman, Miletich, & Albrecht], 326

sodium citrate, reduced volume dose of, experience with (correspondence) [Stoops, Ravindran, & Viegas], 201

Phenothiazines, see under Ataractics

Pheochromocytoma, see under Surgery

Physics

and SI units (correspondence) [deJong], 296 work, gram-meter and (correspondence) [Frank], 297

Platelets, see under Blood

Pneumocephalus, tension, see under Brain; Complications

Pneumonia, see under Lung(s)

Polypeptides

antagonists, and blood pressure control during anesthesia [Miller, Beckman, Woodside, Althaus, & Peach], 32

endorphins, and nitrous oxide interactions with opioid receptors (correspondence) [Gillman & Lichtigfeld], 483

renin-angiotensin

catecholamine, and vasopressin during nitroprusside-induced hypotension in ewes [Zubrow, Daniel, Stark, Husain, & James],

effect of PEEP ventilation on [Annat, Viale, Xuan, Aissa, Benzoni, Vincent, Gharib, & Motin], 136

importance of, in blood pressure control during anesthesia [Miller, Beckman, Woodside, Althaus, & Peach], 32

saralasin, and blood pressure control during anesthesia [Miller, Beckman, Woodside, Althaus, & Peach], 32

Position

intravenous fluid containers as aids for (correspondence) [Brown & Cadena], 301

lateral, and prone, compared in approach to lumbar epidural space (clinical report) [Mustafa, Milliken, & Bizzarri], 464

prone, advantage of, in approach to lumbar epidural space (clinical report) [Mustafa, Milliken, & Bizzarri], 464

Positive end-expiratory pressure, see under Ventilation Postoperative pain, see under Pain

Potency

anesthetic

Cp₁₀ (50), in use of vecuronium and pancuronium in anesthetized humans [Cronnelly, Fisher, Miller, Gencarelli, Nguyen-Gruenke, & Castagnoli], 405

dose-response, of isoflurane, halothane, and diethyl ether for various end points of anesthesia (laboratory report) [Kissin, Morgan, & Smith], 88

ED₅₀, and age-dependent alterations in nitrous oxide requirement of mice [Koblin, Lurz, & Eger], 428

ED50, and safety margins for isoflurane and halothane, compared (laboratory report) [Kissin, Morgan, & Smith], 556

for enflurane, heart rate response to nociceptive stimulation as index of (correspondence) [Kissin & Morgan], 109

LD50, and safety margins for isoflurane and halothane, compared (laboratory report) [Kissin, Morgan, & Smith], 556

righting reflex, and age-dependent alterations in nitrous oxide requirement of mice [Koblin, Lurz, & Eger], 428

Pregnancy

mitral valve prolapse in, bupivacaine cardiotoxicity in (correspondence) [Conklin & Ziadlou-Rad], 596

neutralizing capacity of particulate antacids in (correspondence) [Eyler & Zaccari], 591

neutralizing capacity of particulate antacids in (correspondence) [Gibbs & Banner], 592

Premedication

in short-stay surgery, zomepirac and codeine compared as (clinical report) [Dunn, Morison, Fargas-Babjak, & Goldsmith], 265

Pressure

pulmonary vascular, measurement of, with detection of end-exhalation period by airway thermistor (clinical report) [Oden, Mitchell, & Benumof], 467

Procaine, see under Anesthetics, local

Propranolol, see under Heart; Sympathetic nervous system, sympatholytic agents

Prostaglandins, see under Hormones

Protein

binding, in thiopental anesthesia [Burch & Stanski], 146

Pseudocholinesterase, see under Biotransformation (drug); Enzymes

Publications, see under Education; Research

Pulmonary, see under Lung(s)

Pulmonary edema, see under Complications

Pulse, see under Heart

Pyrexia, see under Hyperthermia

Pyridostigmine, see under Antagonists, neuromuscular relaxants

10

Rebreathing, see under Carbon dioxide

Receptors

baroreceptors, carotid sinus, extent and mechanism of halothane sensitization of [Seagard, Hopp, Bosnjak, Elegbe, & Kampinel 432

opiate, nitrous oxide interacts with (correspondence) [Gillman & Lichtigfeld], 483

Recovery

delerium, in nitrous oxide withdrawal syndrome, [Rupreht, Dworacek, Ducardus, Schmitz, & Dzoljic], 524

Reflexes

baroreceptor, effects of halothane on [Seagard, Hopp, Bosnjak, Elegbe, & Kampine], 432

baroresponse

and cardiovascular depression by halothane in infants (correspondence) [Friesen], 387

and cardiovascular depression by halothane in infants (correspondence) [Ware, Robinson, & Gregory], 387

Regional anesthesia, see under Anesthetic techniques

Renin, see under Polypeptides, renin-angiotensin

Reports of scientific meetings, see under Organizations Research

publications

anesthesiology, statistics should support (correspondence) [Stanley & Pace], 297

use of negative exponents in (editorial view) [Michenfelder], 305

Resistance, see under Airway

Respiratory distress syndrome, see under Lung(s)

Respiratory quotient, see under Metabolism

Respiratory resistance, see under Lung(s)

Resuscitation, see under Complications, cardiac arrest; Drowning; Heart, massage; Shock; Transfusion; Ventilation, artificial

Resuscitation bag, see under Equipment

Righting reflex, see under Potency, anesthetic

Rigidity, see under Complications

8

Saralasin, see under Polypeptides

Scavengers, see under Equipment

Scientific meetings, reports of, see under Organizations

Seizures, see under Brain; Complications; Toxicity

Sevoflurane, see under Anesthetics, volatile

Shock

in massive occult hemorrhage during hip surgery (clinical report) [Lombard & Couper], 472

SI units, see under Measurement techniques

Silicone embolizing substance, see under Embolism

Sinoatrial node, see under Heart

Skeletal muscle, see under Muscle

Society of Cardiovascular Anesthesiologists, see under Organiza-

Sodium, see under Acid-base equilibrium; Ions

Sodium citrate, see under Pharmacology

Soleus muscle, see under Muscle

Somatosensory-evoked potentials, see under Brain; Monitoring

Spinal anesthesia, see under Anesthetic techniques

Spinal cord

glucose utilization, with pentobarbital or nitrous oxide [Crosby, Crane, Jehle, & Sokoloff], 38

metabolism, regional, with pentobarbital or nitrous oxide [Crosby, Crane, Jehle, & Sokoloff], 38

somatosensory, evoked potentials (correspondence) [Raudzens], 593

stimulation, with pentobarbital or nitrous oxide [Crosby, Crane, Jehle, & Sokoloff], 38

uptake, in epinephrine as adjuvant to epidural morphine [Bromage, Camporesi, Durant, & Nielsen], 257

WDR neurons, suppression of noxiously evoked activity of, by spinally administered morphine [Homma, Collins, Kitahata, Matsumoto, & Kawahara], 232

Spinal surgery, see under Surgery

Statistics

absence of evidence is not evidence of absence (correspondence)
[Hartung, Cottrell, & Giffin], 298

should support rather than strangle anesthesiology literature (correspondence) [Stanley & Pace], 297

Status epilepticus, see under Complications

Stethoscope, see under Equipment

Stevens, A. J. (ed.), Preparation for Anaesthesia (book review), 207

Stimulator, nerve, see under Equipment; Monitoring; Nerve; Neuromuscular junction

Stomach, see under Gastrointestinal tract; Vomiting

Stored blood, see under Transfusion

Subdural space, see under Brain

Subglottic stenosis, see under Airway

Succinylcholine, see under Neuromuscular relaxants

Support pads, see under Equipment

Surgery

arthroplasty, total hip, massive occult retroperitoneal hemorrhage during (clinical report) [Brizgys & Hicks], 473

cardiac

cardiopulmonary bypass, care of children following [Betts & Nicholson] (editorial review), 115

coronary artery bypass grafting, cardiovascular effects of vecuronium and pancuronium in patients undergoing [Morris, Cahalan, Miller, Wilkinson, Quasha, & Robinson], 438

deep body thermometry during general anesthesia (clinical report) [Muravchick], 271

in Kawasaki disease (clinical report) [McNiece & Krishna], 269 migration of pediatric pullmonary artery catheters following (clinical report) [Mcore, Mc Nicholas, Gallagher, & Niguidula],

colonic

intraoperative explosion during, etiologic factors in (correspondence) [Freund & Radke], 196

intraoperative explosion during, etiologic factors in (correspondence) [Rumisyl, 195

- complications, and prospective evaluation of cardiac risk index (clinical report) [Jeffrey, Kunsman, Cullen, & Brewster], 462
- craniotomy, nitrous oxide and prevention of tension pneumocephalus after (correspondence) [Friedman], 196
- head, airway device for (correspondence) [Bedger, Chang, Larson, & Bleyaert], 199
- laryngoscopy, laser, anesthetic management and gas scavenging for, in infant subglottic stenosis (clinical report) [Rita, Seleny, & Holinger], 191

larvnx

- beware of sharp edges of endotracheal tubes during (correspondence) [Skaredoff & Poppers], 595
- beware of sharp edges of endotracheal tubes during (correspondence) [Weibel & Mathews], 595
- midtrimester abortions, disseminated intravascular coagulation following (clinical report) [White, Coe, Dworsky, & Margolis], 99
- neck, airway device for (correspondence) [Bedger, Chang, Larson, & Blevaert], 199
- neurosurgery, in suprasellar tumor in juvenile airway in adult (clinical report) [Veselis & Korben], 481
- obstetric, for midtrimester abortions, disseminated intravascular coagulation following (clinical report) [White, Coe, Dworsky, & Margolis], 99
- ophthalmic, airway device for (correspondence) [Bedger, Chang, Larson, & Bleyaert], 199

orthopedic

- fatal pulmonary embolism following (clinical report) [Pollard, Lovelock, & Jones], 373
- for flexion deformity of cervical spine, anesthetic management for (clinical report) [Ovassapian, Land, Schafer, Cerullo, & Zalkind], 370
- massive occult retroperitoneal hemorrhage during (clinical report) [Brizgys & Hicks], 473
- pheochromocytoma, bilateral adrenalectomy for, hypertension after intraoperative autotransfusion in (clinical report) [Smith, Mihm, & Mefford], 182
- risk factors, and prospective evaluation of cardiac risk index (clinical report) [Jeffrey, Kunsman, Cullen, & Brewster], 462
- spinal, somatosensory-evoked potential loss during (correspondence) [Raudzens], 593

urologic

- ammonia toxicity from glycine absorption during (clinical report) [Roesch, Stoelting, Lingeman, Kahnoski, Backes, & Gephardt], 577
- visual disturbances during, glycine and blood-brain barrier and (correspondence) [Larson], 488
- vascular, therapeutic arterial embolization during, acute pulmonary embolism in (clinical report) [Capan, Lardizabal, Sinha, Ashok, Berenstein, & Turndorf], 569

Sympathetic block, see under Anesthetic techniques, regional

Sympathetic nervous system airway reactivity and (medical intelligence) [Hirshman], 170

- aminophylline, for child with asthma and presumed susceptibility to malignant hyperthermia (clinical report) [Vaughn, Casson, & Hirshman], 283
- calcium channel blockers, to relieve pulmonary congestion in mitral valve disease (clinical report) [Kopman], 374

catecholamines

- epinephrine, arrhythmogenic plasma levels of, during halothane, enflurane, and pentobarbital anesthesia in dog [Sumikawa, Ishizaka. & Suzakil. 322
- epinephrine, during halothane anesthesia for closure of cleft palate (clinical report) [Ueda, Hirakawa, & Mae], 574
- epinephrine, -halothane interactions in children [Karl, Swedlow, Lee, & Downes], 142
- epinephrine, influence of, as adjuvant to epidural morphine [Bromage, Camporesi, Durant, & Nielsen], 257
- norepinephrine, arrhythmogenic plasma levels of, during halothane, enflurane, and pentobarbital anesthesia in dog [Sumikawa, Ishizaka, & Suzaki], 322
- plasma renin, and vasopressin during nitroprusside-induced hypotension in ewes [Zubrow, Daniel, Stark, Husain, & James],
- guanethidine, and renin, and blood pressure control during [Miller, Beckman, Woodside, Althaus, & Peach], 32
- peripheral, and renin, and blood pressure control during [Miller, Beckman, Woodside, Althaus, & Peach], 32
- sympatholytic agents, propranolol, pretreatment, in prophylaxis against ventricular arrhythmias (clinical report) [Hood & Meccal, 379
- verapamil, intravenous, to relieve pulmonary congestion in mitral valve disease (clinical report) [Kopman]. 374

Sympatholytic agents, see under Sympathetic nervous system Synaptosomes, see under Brain; Nerve

T

Tachycardia, see under Heart

Temperature

body, hypothermia in pregnancy (clinical report) [Stånge & Halldin], 460

hypothermia

- and electroencephalogram (correspondence) [Levy], 396 and electroencephalogram (correspondence) [Sharbrough, Quasha, & Tinker], 396
- pancuronium retains potency at [Horrow & Bartkowski], 357

Tension pneumocephalus, see under Brain; Complications

Tetracaine, see under Anesthetics, local

Theories of anesthesia

- and age-dependent alterations in nitrous oxide requirement of mice [Koblin, Lurz, & Eger], 428
- Thermometry, deep body, see under Measurement techniques
- Thiopental, see under Anesthetics, intravenous; Anesthetics, rectal

Thiosulfate, see under Pharmacokinetics

Thromboembolism, see under Embolism

Thyroid, see under Hormones

Toxicity

- cardiac, in etidocaine anesthesia in adult, newborn, and fetal sheep [Morishima, Pedersen, Finster, Feldman, & Covino], 342
- convulsions, in etidocaine anesthesia in adult, newborn, and fetal sheep [Morishima, Pedersen, Finster, Feldman, & Covino], 342
- cyanide, during sodium nitroprusside administration and surgery [Ivankovich, Braverman, Stephens, Shulman, & Heyman], 11

hepatic

to halothane (correspondence) [Strunin, Harrison, & Davies], 391 isoflurane and enflurane-induced, in triidothyronine pretreatment [Berman, Kuhnert, Phythyon, & Holaday], 1

metabolites, fluorinated ether anesthetics, following ethanol consumption [Rice, Dooley, & Mazze], 237

nitroprusside, sodium thiosulfate disposition related to [Ivankovich, Braverman, Stephens, Shulman, & Heyman], 11

overdose, chlorpromazine in child abuse (clinical report) [Ott, Pollack, Riddick, Reisch, & Epstein], 178

Transfusion

autotransfusion, intraoperative, in bilateral adrenalectomy for pheochromocytoma, hypertension after (clinical report) [Smith, Mihm, & Mefford], 182

blood, transmission of acquired immunodeficiency syndrome (editorial view) [Miller & Bove], 493

crossmatch, for cesarean section (clinical report) [Reisner], 476 stored blood

for cesarean section (clinical report) [Reisner], 476 and estimation of allowable blood loss (clinical report) [Gross],

type and screen, for cesarean section (clinical report) [Reisner], 476 Transtracheal ventilation, see under Ventilation

Trimethaphan, see under Blood pressure, hypotension; Sympathetic nervous system, ganglia

Tubes, see under Equipment

d-Tubocurarine, see under Neuromuscular relaxants

FI

Urologic surgery, see under Surgery

v

Valves, see under Equipment

Varkey, G. P. (ed.), International Anesthesiology Clinics: Anesthetic Considerations in the Surgical Repair of Intracranial Aneurysms (book review), 398

Vascular permeability, see under individual organs

Vascular pressures, see under Heart; Lung(s); Monitoring

Vascular resistance, see under Lung(s)

Vasopressin, see under Hormones

Vecuronium, see under Neuromuscular relaxants

Veins

cannulation

permanent paralysis of accessory nerve after (correspondence) [Hoffman], 583

prediction of painful (correspondence) [Burstein & Vanga], 487 external jugular cannulation, complications, right hydrothorax as (clinical report) [Ghani & Berry], 93 jugular, internal, cannulation of, permanent paralysis of accessory nerve after (correspondence) [Hoffman], 583

venipuncture, predicting painful (correspondence) [Burstein & Vanga], 487

Venipuncture, see under Veins

Ventilation

alternating lung, effects of, on cardiopulmonary functions in dogs [Muneyuki, Konishi, Horiguchi, Tsujimoto, Saito, Sakakura, & Konishi], 353

artificial, resuscitation bag, need for, in operating room (correspondence) [Thys], 203

carbon dioxide response

biphasic depression of, following epidural morphine [Kafer, Brown, Scott, Findlay, Butz, Teeple, & Ghia], 418

and influence of epinephrine as adjuvant to epidural morphine [Bromage, Camporesi, Durant, & Nielsen], 257

after thiopental and midazolam [Gross, Zebrowski, Carel, Gardner, & Smith], 540

controlled, pacemaker malfunction associated with (clinical report) [Thiagarajah, Azar, Agres, & Lear], 565

end-exhalation, detection of, by airway thermistor (clinical report) [Oden, Mitchell, & Benumof], 467

perfusion, and mixed venous O₂ tension, effects of, on gas exchange [Bishop & Cheney], 130

positive end-expiratory pressure, effect of, on renal function, plasma renin, aldosterone, neurophysins and urinary ADH, and prostaglandins [Annat, Viale, Xuan, Aissa, Benzoni, Vincent, Gharib, & Motin], 136

transtracheal, simple system for (correspondence) [Gildar], 106

Ventilators, see under Equipment

Ventricles, see under Heart

Verapamil, see under Sympathetic nervous system Virus(es)

influenza, alterations in pulmonary pathology in, induced by diethyl ether, halothane, enflurane, and pentobarbital [Knight, Bedows, Nahrwold, Maassab, Smitka, & Busch], 209

W

WDR neurons, see under Spinal cord

Wolff-Parkinson-White syndrome, see under Heart

Wood, M., and Wood, A. J. J. (eds.), Drugs and Anesthesia. Pharmacology for Anesthesiologists (book review), 597

Wrench holder, see under Equipment

Z

Zomepirac, see under Analgesics, narcotic

AUTHOR INDEX TO VOLUME 58

Adams, A. L.: Complication Following Guided Nasotracheal Intubation (correspondence),

Agres, M., see Thiagarajah, S. Aissa, O. H., see Annat, G.

Albin, M. S.: Sights and Sounds of Air (editorial view), 113

Albrecht, R. F., Miletich, D. J., Madala, L.R.: Normalization of CBF during Halothane, 26; also see Hoffman, W. E.

Ali, H. H., see Savarese, J. J.

Ali, N. M., see Sokoll, M. D.

Althaus, J. S., see Miller, E. D., Jr.

Anderson, J. L., see Dong, W. K.

Annat, G., Viale, J. P., Xuan, B. B., Hadj Aissa, O., Benzoni, D., Vincent, M., Gharib, C., Motin, J.: Hormonal and Renal Effects of PEEP, 136

Artru, A. A.: Cerebral Blood Volume and CSF Pressure with Halothane or Enflurane, 533

Ashok, U., see Capan, L. M.

Ashton, J. P. A., see Pearl, R. G.

Atkinson, R. S., Hewer, C. L. (eds): Recent Advances in Anaesthesia and Analgesia, No. 14 (book review), 398

Augereau, P., see MacLeod, B. A. August, G., see Flashburg, M. H.

Avello, F., see Gómez-Arnau, J.

Azar, I., see Thiagarajah, S.

Backes, D. J., see Roesch, R. P. Bagshaw, R. J., Cox, R. H.: Pulmonary Vascular Response and Initial State of Vasculature (correspondence), 205

Banner, T., see Gibbs, C. P.

Barberii, J. K., see Conahan, T. J. Bartkowski, R. R.: Recovery from Neuro-

muscular Block, 409; also see Horrow, J. C. Bartolone, R. S., Rao, T. L. K.: Dysrhythmias Following Muscle Relaxants and Digitalis (clinical report), 567

Basta, S. J., see Savarese, J. J.

Batra, M. S., and McMahon, D. J.

Beckman, J. J., see Miller, E. D., Jr.

Bedger, R. C., Chang, J-L., Larson, C. E.,

Bleyaert, A. L.: Airway Device for Ophthalmic and Head and Neck Surgery (correspondence), 198; also see Melnick, B.

Bedows, E., see Knight, P. R.

Benumof, J. L.: Intermittent Hypoxia and Pulmonary Blood Flow, 399; also see Oden, R.

Benzoni, D., see Annat, G.

Berenstein, A., see Capan, L. M.

Berger, J. M., Stirt, J. A.: Aid to Nasotracheal Intubation (correspondence), 105

Berman, M. L., Kuhnert, L., Phythyon, J. M., Holaday, D. A.: Isoflurane and Enflurane Toxicity in T3-treated Rats, 1

Berry, A. J., see Ghani, G. A.

Betts, E. K., Nicolson, S. C.: Forensic Anesthesiology? (editorial view), 115

Bevan, D. R., see Donati, F.

Bishop, M. J., Cheney, F. W.: Effects of $P\bar{v}_{O_2}$ and Pulmonary Blood Flow, 130

Bishop, M. J., Hornbein, T. F.: Prolonged Effect of Succinylcholine after Neostigmine and Pyridostigmine in Renal Failure (clinical report), 384

Bizzarri, D. V., see Mustafa, K.

Blake, G. J., see Day, N. S.

Bledsoe, S. W., see Dong, W. K.

Bleyaert, A. L., see Bedger, R. C.

Blitt, C. D.: Catheterization Techniques for Invasive Cardiovascular Monitoring (book review), 111

Bomblet, J. P., see d'Hollander, A. A.

Boros, M.: Pipecurium: A New Neuromuscular Blocking Agent (correspondence),

Bosnjak, Z. J., Kampine, J. P.: Effects of Anesthetics on the SA Node, 314; also see Seagard, J. L.

Bove, J. R., see Miller, R. D.

Branthwaite, M. A., see Gothard, J. W. W. Braverman, B., see Ivankovich, A. D.

Brewster, D. C., see Jeffrey, C. C.

Brizgys, R. V., Hicks, H. C.: Massive Occult Retroperitoneal Hemorrhage during Hip Surgery (clinical report), 473

Bromage, P. R., Camporesi, E. M., Durant, P. A., Nielsen, C. H.: Epinephrine and Epidural Morphine, 257; also see Fagraeus, L.

Brown, B. R., Jr.: Gull Harbour Toxicity Symposium (scientific meeting), 208

Brown, D. L., Cadena, R.: Intravenous Fluid Containers (correspondence), 301

Brown, J. T., see Kafer, E. R.

Brownell, A. K. W., Paasuke, R. T., Elash, A., Fowlow, S. B., Seagram, C. G. F., Diewold, R. J., Friesen, C.: Malignant Hyperthermia in Duchenne Muscular Dystrophy (clinical reports), 180

Buchheit, W. A., see Shupak, R. C.

Burch, P. G., Stanski, D. R.: Metabolism and Protein Binding of Thiopental, 146

Burstein, A., Vanga, C.: Predicting Painful Venipunctures (correspondence), 487

Busch, M. T., see Knight, P. R.

Butz, R. F., see Kafer, E. R Byrick, R. J., see Noble, W. H.

C

Cadena, R., see Brown, D. L. Cahalan, M. K., see Morris, R. B.

Calkins, J. M., see Conahan, T. J. Camporesi, E. M., see Bromage, P. R.

Capan, L. M., Lardizabal, S., Sinha, K., Ashok, U., Berenstein, A., Turndorf, H.: Pulmonary Embolism during Arterial Embolization with Silicone Fluids (clinical report), 569

Carel, W. D., see Gross, J. B.

Casson, H., see Vaughn, J.

Castagnoli, N., Jr., see Cronnelly, R.

Cerullo, L., see Ovassapian, A.,

Chang, J-L., see Bedger, R. C.; also see Mel-

Chapman, C. R., Schimek, F., Gehrig, J. D., Gerlach, R., Colpitts, Y. H.: Effects of N2O, TES, and their Combination on ERPS, 250

Cheney, F. W., see Bishop, M. J. Christian, C. M., II: Fourth Annual Meeting

of the Society of Cardiovascular Anesthesiologists (scientific meeting), 491

Christian, C. M., II, Waller, J. L., Moldenhauer, C. C.: Postoperative Rigidity Following Fentanyl Anesthesia (clinical report), 275

Coe, V., see White, P. F.

Cohen, S. E., Woods, W. A.: Epidural Morphine in the Postcesarean Patient, 500

Colley, P. S., see Martin, R. W.

Collins, J. G., see Homma, E.; also see Suzu-kawa, M.

Colpitts, Y. H., see Chapman, C. R.

Conahan, T. J., Barberii, J. K., Calkins, J. M.: Valve Competence in Pulmonary Artery Catheter Introducers (clinical report), 189

Conklin, K. A., Ziadlou-Rad, F.: Buffering Capacity of Citrate Antacids (correspon-

dence), 391

Conklin, K. A., Ziadlou-Rad, F.: Bupivacaine Cardiotoxicity in a Pregnant Patient with Mitral Valve Prolapse (correspondence), 596

Cottrell, J. E., see Hartung, J.

Couper, J. L., see Lombard, T. P.

Covino, B. G., see Morishima, H. O.

Cowley, R. A. (ed): Pathophysiology of Shock, Anoxia, and Ischemia (book review), 112

Cowley, R. A., Dunham, C. M. (eds): Shock Trauma/Critical Care Manual: Initial Assessment and Management (book review), 112

Cox, R. H., see Bagshaw, R. J.

Crane, A. M., see Crosby, G.

Cronnelly, R., Fisher, D. M., Miller, R. D., Gencarelli, P., Nguyen-Gruenke, L., Castagnoli, N., Jr.: Kinetics and Dynamics of Vecuronium and Pancuronium, 405

Crosby, G., Crane, A. M., Jehle, J., Sokoloff, L.: Anesthetics and CNS Metabolism during Stimulation in Rats, 38

Crosby, G., Sokoloff, L.: Reply to: Pitfalls in Measuring Regional Cerebral Glucose Utilization (correspondence), 291

Cullen, D. J., see Jeffrey, C. C.

D

Dahlström, B., see Nordberg, G. Daniel, S. S., see Zubrow, A. B.

Davies, J. M., see Strunin, L.

Day, N. S., Blake, G. J., Standaert, F. G., Dretchen, K. L.: Train-of-Four Response in Fast and Slow Muscles, 414

de Jong, R. H.: Vive Pascall (correspondence), 296

Dean, S. E., Keenan, R. L.: Reply to: Rebreathing and the Bain Circuit (correspondence), 393

Desai, S., see Jumper, A.

Devitt, J. H., see Noble, W. H.

Dhamee, M. S., see Gandhi, S.

d'Hollander, A. A., Duvaldestin, P., Henzel, D., Nevelsteen, M., Bomblet, J. P.: Pancuronium Requirement, Plasma Concentration, and Urinary Excretion in Cardiopulmonary Bypass with Hypothermia, 505

Diaz, A., see Loeser, E. A.

Diaz, J. H., see Henling, C. E. Diewold, R. J., see Brownell, A. K. W.

Dohi, T., see Ikeda, M.

Domino, K. B., see Glasser, S. A

Donati, F., Bevan, D. R.: Potentiation of Succinylcholine Phase II Block with Isoflurane, 552

Donati, F., Bevan, D. R.: Succinylcholine Infusion during Isoflurane Anesthesia, 6

Dong, W. K., Bledsoe, S. W., Eng, D. Y., Heavner, J. E., Shaw, C.-M., Hornbein, T. F., Anderson, J. L.: Effects of Profound Hypotension on CNS, 61

Dooley, J. R., see Rice, S. A.

Downes, H., Hirshman, C. A., Leon, D. A.: Local Anesthetics as Bronchodilator Aerosols, 216

Downes, J. J., see Karl, H. W.

Dresel, P. E., Smith, E. R.: Reply to: Thiobarbiturates Induce Arrhythmias in Dogs (correspondence), 395

Dretchen, K. L., see Day, N. S. Ducardus, R., see Rupreht, J.

Dudziak, R. M.: Corrections Concerning Precipitation of Local Anesthetics in CSF (correspondence), 388

Dunbar, B. S., see Flashburg, M. H.

Dunham, C. M., (ed.), see Cowley, R. A., (ed.)
 Dunn, G. L., Morison, D. H., Fargas-Babjak,
 A. M., Goldsmith, C. H.: Zomepirac vs
 Codeine as Premedicants in Short-stay Surgery (clinical report), 265

Durant, P. A., see Bromage, P. R. Duvaldestin, P., see d'Hollander, A. A. Dworacek, B., see Rupreht, J. Dworsky, W. A., see White, P. F.

Dzoljic, M. R., see Rupreht, J.

dence), 591

E

Eger, E. I., II, see Koblin, D. D.
El-Sayad, H. A., see Savarese, J. J.
Elash, A., see Brownell, A. K. W.
Elegbe, E. O., see Seagard, J. L.
Eng, D. Y., see Dong, W. K.
Epstein, B. S., see Ott, V. V.
Erdmann, A. J., Hüttemeir, P. C., Landolt,
C., Zapo, W. M.: Oxygen Toxicity and
Lung Microvascular Permeability, 153
Eyler, S. W., Zaccari, J.: Neutralizing Capacity of Particulate Antacids (corresponity)

F

Fagraeus, L., Urban, B. J., Bromage, P. R.: Spread of Epidural Analgesia in Early Pregnancy (clinical report), 184

Famewo, C. E.: Intraluminal Tracheal Tube Obstruction (correspondence), 593

Fargas-Babjak, A. M., see Dunn, G. L. Feldman, H. S., see Morishima, H. O.

Findlay, J. W. A., see Kafer, E. R. Finster, M., see Morishima, H. O.

Fisher, D. M., Miller, R. D.: Vecuronium (ORG NC45) in Infants and Children During N₂O, Halothane Anesthesia, 519; also see Cronnelly, R.

Flashburg, M. H., Dunbar, B. S., August, G., Watson, D.: Anesthesia for Surgery in an Infant with DiGeorge Syndrome (clinical report), 479 Fowlow, S. B., see Brownell, A. K. W.

Frank, L. P.: What's a Gram-meter? (correspondence), 297

Frankhouser, P. L.: Reply to: Hazard of a New Epidural Catheter (correspondence), 293

Freund, P. R., Radke, H. M.: Reply to: Etiologic Factors in Determining Explosive Colonic Gas Mixtures (correspondence), 196

Friedman, G. A.: N₂O and Prevention of Tension Pneumocephalus after Craniotomy (correspondence), 196

Friesen, C., see Brownell, A. K. W.

Friesen, R. H.: Baroresponse and Cardiovascular Depression by Halothane in Infants (correspondence), 387

Frost, E. A. M.: N₂O and Intraoperative Tension Pneumocephalus, 197

Furman, W. R., see Miller, C. F.

Furuya, H., Suzuki, T., Okumura, F., Kishi, Y., Uefuji, T.: Echocardiographic Detection of Air Embolism, 124

G

Gallagher, J. D., see Moore, R. A.

Gandhi, S., Dhamee, M. S.: Oral Airway in Detachment of Esophageal Stethoscope Cuff (correspondence), 202

Gardner, S., see Gross, J. B.

Gehrig, J. D., see Chapman, C. R.

Gencarelli, P., see Cronnelly, R.

Gephardt, S. A., see Roesch, R. P.

Gergis, S. D., see Sokoll, M. D.

Gerlach, R., see Chapman, C. R.

Ghani, G. A., Berry, A. J.: Right Hydrothorax after Left External Jugular Vein Catheterization (clinical report), 93

Gharib, C., see Annat, G.

Ghia, J. N., see Kafer, E. R.; al. o see Teeple, E.

Gibbs, C. P., Banner, T.: Reply to: Neutralizing Capacity of Particulate Antacids (correspondence), 592

Giffin, J. P., see Hartung, J.

Giger, U., Kaplan, R. F.: Halothane and Platelet ATP, 347

Gildar, J. S.: Simple System for Transtracheal Ventilation (correspondence), 106

Gillman, M. A., Lichtigfeld, F. J.: Naloxone and Its Analeptic Effect (correspondence), 287

Gillman, M. A., Lichtigfeld, F. J.: Nitrous Oxide Interacts with Opioid Receptors (correspondence), 483

Gilly, H., see Zimpfer, M.

Gionfriddo, M. A., see Savarese, J. J.

Glasser, S. A., Domino, K. B., Lindgren, L., Parcella, P., Marshall, C., Marshall, B. E.: Pulmonary Blood Pressure and Flow during Atelectasis, 225

Goldsmith, C. H., see Dunn, G. L.

Gómez-Arnau, J., Márquez-Montes, J., Av-

ello, F.: Fentanyl and Droperidol Effects in Wolff-Parkinson-White Syndrome, 307

Gothard, J. W. W., Branthwaite, M. A.: Anaesthesia for Thoracic Surgery (book review), 304

Goyette, R. E.: Assuring Proper Drug Dosage (correspondence), 202

Graham, D. H.: Standing Bellows Ventilators and Low-flow Techniques (correspondence), 486

Gramling, Z. W., see Mote, P. S. Gregory, G. A., see Ware, R. E.

Gronert, G. A., Michenfelder, J. D., Steen, P. A., Milde, J. H.: Canine Tolerance during Pentobarbital Anesthesia, 18

Gross, J. B.: Estimating Allowable Blood Loss: Corrected for Dilution (clinical report),

Gross, J. B., Zebrowski, M. E., Carel, W. D., Gardner, S., Smith, T. C.: Ventilatory Depression after Thiopental and Midazolam in Chronic Obstructive Pulmonary Disease, 540

Grundy, B. L.: Intraoperative Monitoring of Evoked Potentials (medical intelligence),

Guenter, C. A., Welch, M. H.: Pulmonary Medicine, Second Edition. (book review),

Halldin, M., see Stånge, K. Harp, J. R., see Shupak, R. C. Harris, W. A., see Hilgenberg, J. C. Harrison, L. J., see Strunin, L. Hartung, J., Cottrell, J. E., Griffin, J. P.: Absence of Evidence Is not Evidence of Absence (correspondence), 298

Hass, W., see Hawkins, R. Hawkins, R., Hass, W., Ransohoff, J.: Pitfalls in Measuring Regional Cerebral Glucose Utilization (correspondence), 290

Heavner, J. E., see Dong, W. K. Hedner, T., see Nordberg, G.

Henling, C. E., Diaz, J. H.: Hypoxia Due to Cluttered Anesthesia Machine (correspondence), 288

Henzel, D., see d'Hollander, A. A. Hess, W., see Schulte-Sasse, U. Hewer, C. L., see Atkinson, R. S. Heyman, H. J., see Ivankovich, A. D.

Hicks, H. C., see Brizgys, R. V.

Hilgenberg, J. C.: Pulmonary Vascular Impedance (correspondence), 484

Hilgenberg, J. C., Stoelting, R. K., Harris, W. A.: Hemodynamic Responses to Atracurium, 242

Hirakawa, M., see Ueda, W.

Hirshman, C. A.: Airway Reactivity in Humans (medical intelligence), 170; aiso see Downes, H.; Vaughn, J.

Hoffman, J. C.: Permanent Paralysis of the Accessory Nerve after Cannulation of the Internal Jugular Vein (correspondence), Hoffman, W. E., Miletich, D. J., Albrecht, R. F.: Effect of Antihypertensive Therapy on CBF, 326

Holaday, D. A., see Berman, M. L.

Holinger, L. D., see Rita, L. Holm, R., see McMahon, D. J.

Homma, E., Collins, J. G., Kitahata, L. M., Matsumoto, M., Kawahara, M.: WDR Neuronal Suppression by Spinal Morphine, 232

Hood, D. D., Mecca, R. S.: Failure to Initiate **Electroconvulsive Seizures in Pretreatment** with Lidocaine (clinical report), \$79

Hopp, F. A., see Seagard, J. L. Horiguchi, R., see Muneyuki, M.

Hornbein, T. F., see Bishop, M. J.; also see Dong, W. K.

Horrow, J. C.: Use of the Finger (correspondence), 198

Horrow, J. C., Bartkowski, R. R.: Relaxant Potency of Pancuronium at Hypothermia,

Huang, S. S.: Simpler Method of Nasogastric Tube Insertion (correspondence), 107 Husain, M. K., see Zubrow, A. B.

Hüttemeir, P. C., see Erdmann, A. J.

Ibler, M.: Modification of Macintosh Laryngoscope Blade (correspondence), 200

Ikeda, M., Dohi, T., Tsujimoto, A.: Inhibition of GABA Release from Synaptosomes by Local Anesthetics, 495

Ishizaka, N., see Sumikawa, K.

Ivankovich, A. D., Braverman, B., Stephens, T. S., Shuiman, M., Heyman, H. J.: Sodium Thiosulfate: Relation to Nitroprusside Toxicity, 11

Jaffe, T. B., Ramsey, F. M.: Attenuation of Fentanyl-induced Truncal Rigidity (clinical report), 562

James, L. S., see Zubrow, A. B.

Janfaza, P., see Zmyslowski, W. P.

Jeffrey, C. C., Kunsman, J., Cullen, D. J., Brewster, D. C.: Prospective Evaluation of Cardiac Risk Index (clinical report), 462

Jehle, J., see Crosby, G. Jones, R. M., see Pollard, B. J.

Julien, R. M.: Potentially Fatal Machine Fault (correspondence), 584

Jumper, A., Desai, S., Liu, P.,, Philip, J.: Pulmonary Barotrauma Resulting from a Faulty Hope® II Resuscitation Bag (clinical report), 572

Kafer, E. R., Brown, J. T., Scott, D., Findlay, J. W. A., Butz, R. F., Teeple, E., Ghia, J. N.: Ventilatory Effects of Lumbar Epidural Morphine, 418

Kahnoski, R. J., see Roesch, R. P. Kalso, E. A., see Rosenberg, P. H. Kaminsky, A., see Loeser, E. A.

Kampine, J. P., see Bosnjak, Z. J.; also see Seagard, J. L.

Kaplan, R. F., see Giger, U.

Karl, H. W., Swedlow, D. B., Lee, K. W., Downes, J. J.: Epinephrine-Halothane Interactions in Children, 142

Kaufman, R. L., see Keenan, M. A. Kawahara, M., see Homma, E.

Keenan, M. A., Stiles, C. M., Kaufman, R. L.: Acquired Laryngeal Deviation in Polyarticular Arthritis, 441

Keenan, R. L., see Dean, S. E.

Kishi, Y., see Furuya, H.

Kissin, I.: Heart Rate Response to Nociceptive Stimulation as Index of Anesthetic Potency for Enflurane (correspondence), 109

Kissin, I., Morgan, P. L., Smith, L. R.: Anesthetic Potencies at Various End Points of Anesthesia (laboratory report), 88

Kissin, I., Morgan, P. L., Smith, L. R.: Comparison of Isoflurane and Halothan. Safety Margins in Rats (laboratory report), 556 Kitahata, L. M., see Homma, E.; also see Su-

zukawa, M.

Klein, D. S.: Nalbuphine and Droperidol for Local Standby Sedation (correspondence),

Knight, P. R., Bedows, E., Nahrwold, M. L., Maassab, H. F., Smitka, C. W., Busch, M. T.: Effects of Anesthetics on Mouse Influenza, 209

Koblin, D. D., Lurz, F. W., Eger, E. I., II: Aging and Nitrous Oxide Requirement,

Konishi, A., see Muneyuki, M. Konishi, K., see Muneyuki, M.

Kopman, E. A.: Intravenous Verapamil to Relieve Pulmonary Congestion in Mitral Valve Disease, 374

Korbon, G. A., see Veselis, R. Krishna, G., see McNiece, W. L. Krösl, P., see Zimpfer, M. Kuhnert, L., see Berman, M. L.

Kunsman, J., see Jeffrey, C. C.

Kyff, J. V., sw Sybert, J. W.

Lagade, M. R. G., Poppers, P. J.: Left-entry Laryngoscope Blade for Right-Sided Oro-Facial Lesions (correspondence), 300

Land, P., see Ovassapian, A., Landolt, C., see Erdmann, A. J.

Lardizabal, S., see Capan, L. M. Larson, C. E., see Bedger, R. C.; also see Melnick, B.

Larson, C. P., Jr.: Technique Is the Critical Variable (correspondence), 587

Larson, M. D.: Glycine and the Blood-Brain Barrier (correspondence), 488

Lear, E., see Thiagarajah, S.

Lee, K. W., see Karl, H. W.

Lena, D. M., see Zmyslowski, W. P. Leon, D. A., see Downes, H.

Levy, W. J.: Hypothermia and the Electroencephalogram (correspondence), 396

Lichtigfeld, F. J., see Gillman, M. A. Lindén, H. B., see Rosenberg, P. H.

Lindgren, L., see Glasser, S. A.

Lineberry, C. G., see Savarese, J. J.; also see Sokoll, M. D.

Lingeman, J. E., see Roesch, R. P.

Lingenfelter, R. W.: Hazard of a New Epidural Catheter (correspondence), 292

Liu, P.,, see Jumper, A.

Loeser, E. A., Kaminsky, A., Diaz, A., Stanley, T. H., Pace, N. L.: Endotracheal Tube Cuff Design and Cuff Lubrication in Postoperative Sore Throat (clinical report), 376

Lombard, T. P., Couper, J. L.: Bilateral Spread of Analgesia Following Interscalene Brachial Plexus Block (clinical report), 472 Lovelock, H. A., see Pollard, B. J.

Luich, P. E.: Adapter Kit to Update APL Valves (correspondence), 200

Luich, R. J.: Manufacturer's Comment (correspondence), 585

Lurz, F. W., see Koblin, D. D.

Maassab, H. F., see Knight, P. R.

MacLeod, B. A., Augereau, P., Walker, M. J. A.: Coronary Ligation with Halothane and Fentanyl, 44

Madala, L.R., see Albrecht, R. F.

Mae, O., see Ueda, W.

Margolis, A., see White, P. F.

Márquez-Montes, J., see Gómez-Arnau, J.

Marquez, J., Sassano, J. J., Winter, P. M., Waterman, P. M.: Double-lumen Right Atrial Catheter for Open Heart Surgery (correspondence), 394

Marschall, K. E.: Tension Pneumocephalus (correspondence), 301

Marshall, B. E., see Glasser, S. A.

Marshall, C., see Glasser, S. A.

Martin, R. W., Colley, P. S.: Transesophageal Doppler Detection of Air Embólism, 117 Mathews, M., see Weibel, S.

Matsuki, A.: Clinical Use of Intrathecal Morphine (correspondence), 289

Matsumoto, M., see Homma, E.; also see Suzukawa, M.

Mazze, R. I., see Rice, S. A.

McLain, S., see Roy, R. C.

McMahon, D. J., Holm, R., Batra, M. S.: Yet Another Machine Fault (correspondence),

Mc Nicholas, K., see Moore, R. A.

McNiece, W. L., Krishna, G.: Kawasaki Disease-Anesthetic Implications (clinical report), 269

Mecca, R. S., see Hood, D. D.

Mefford, I., see Smith, D. F.

Mehta, M., see Sokoll, M. D.

Mellstrand, T., see Nordberg, G.

Melnick, B., Chang, J.-L., Larson, C. E.,

Bedger, R. C.: Hypokalemic Familial Pe-

riodic Paralysis (clinical report), 263 Mercurio, A., see Wald, A.

Meyer, J. A., see Rendell-Baker, L.

Michenfelder, J. D.: In Defense of Double Negatives (as Exponents) (editorial view), 305, also see Gronert, G. A.; Steen, P. A.

Mihm, F. G., see Smith, D. F.

Milde, J. H., see Gronert, G. A.; also see Steen, P. A.

Miletich, D. J., see Albrecht, R. F.; also see Hoffman, W. E.

Miller, C. F., Furman, W. R.: Symptomatic Pneumocephalus after Translabrynthine Acoustic Neuroma Excision and Nitrous Oxide (clinical report), 281

Miller, E. D., Jr., Beckman, J. J., Woodside, J. R., Jr., Althaus, J. S., Peach, M. J.: Sympathetic Nervous System, Renin, and Anesthesia, 32

Miller, P. L.: The "ATTENDING" Computer System (special article), 362

Miller, R. D., Bove, J. R.: Acquired Immunodeficiency Syndrome (AIDS) and Blood Products (editorial view), 493; also see Cronnelly, R.; Fisher, D. M.; Morris, R. B.

Milliken, R. A., see Mustafa, K.

Mitchell, M. M., see Oden, R.

Moldenhauer, C. C., see Christian, C. M.

Montague, D., see Savarese, J. J.

Moore, R. A., Mc Nicholas, K., Gallagher, J. D., Niguidula, F.: Migration of Pediatric Pulmonary Artery Catheters (clinical report), 102

Morgan, P. L., see Kissin, I.

Morishima, H. O., Pedersen, H., Finster, M., Feldman, H. S., Covino, B. G.: Etidocaine Toxicity in Sheep, 342

Morison, D. H., see Dunn, G. L.

Morray, J., Todd, S.: Continuous Flush Systems for Vascular Pressure Monitoring in Infants (clinical report), 187

Morris, R. B., Cahalan, M. K., Miller, R. D., Wilkinson, P. L., Quasha, A. L., Robinson, S. L.: Cardiovascular Effects of Vecuronium and Pancuronium in Coronary Artery Bypass Grafting, 438

Moss, J., see Savarese, J. J. Moss, P., see Stonham, J.

Mote, P. S., Pruett, J. K., Gramling, Z. W.: Halothane, Enflurane and Myocardial Contractility, 53

Motin, J., see Annat, G.

Muneyuki, M., Konishi, K., Horiguchi, R., Tsujimoto, S., Saito, M., Sakakura, S., Konishi, A.: Alternating Lung Ventilation in Dogs, 353

Munshi, C., Rouman, W. C.: Risk of Air Embolism during Catheter Placement (correspondence), 206

Muravchick, S.: Deep Body Thermometry during General Anesthesia (clinical report),

Mustafa, K., Milliken, R. A., Bizzarri, D. V.:

Advantage of Prone Position Approach to Lumbar Epidural Space (clinical report),

N

Nagai, H., see Sumikawa, K.

Nahrwold, M. L., see Knight, P. R.

Naulty, J. S.: Reply to: Technique is the Critical Variable (correspondence), 588

Neidzwski, J. T., see Wald, A.

Nevelsteen, M., see d'Hollander, A. A.

Newberg, L., see Steen, P. A.

Nguyen-Gruenke, L., see Cronnelly, R.

Nicolson, S. C., see Betts, E. K.

Nielsen, C. H., see Bromage, P. R. Niguidula, F., see Moore, R. A.

Noble, W. H., Devitt, J. H., Byrick, R. J.: Reply to: Pulmonary Artery Catheters in Eisenmenger's Syndrome (correspon-

dence), 589 Nordberg, G., Hedner, T., Mellstrand, T., Dahlström, B.: Pharmacokinetics of Epidural Morphine, 545

Norman, J., see Nott, M. R.

Nott, M. R., Norman, J.: Rebreathing and the Bain Circuit (correspondence), 392

Oden, R., Mitchell, M. M., Benumof, J. L.: Detection of End-exhalation Period by Airway Thermistor (clinical report), 467

Okumura, F., see Furuya, H.

Ott, V. V., Pollack, M. M., Riddick, L., Reisch, R. F., Epstein, B. S.: Delayed Awakening from Anesthesia and Child Abuse (clinical report), 178

Ovassapian, A.,, Land, P., Schafer, M. F., Cerullo, L., Zalkind, M. S.: Anesthetics for Surgery of Severe Flexion Deformity of Cervical Spine (clinical report), 370

Paasuke, R. T., see Brownell, A. K. W.

Pace, N. L., see Loeser, E. A.; also see Stanley, T. H.

Pallares, V. S., see Szeinfeld, M.

Parcella, P., see Glasser, S. A.

Pashayan, A. G., see Pyles, S. T.

Peach, M. J., see Miller, E. D., Jr.

Pearl, R. G., Rosenthal, M. H., Ashton, J. P. A.: Nitroglycerin and Sodium Nitroprusside in Oleic Acid-induced Pulmonary Hypertension, 514

Pedersen, H., see Morishima, H. O.

Petty, C.: Research Techniques in the Rat (book review), 111

Petty, T. L.: Intensive and Rehabilitative Respiratory Care, 3rd Edition (book review),

Philip, J., see Jumper, A.

Phythyon, J. M., see Berman, M. L.

Pollack, M. M., see Ott, V. V.

Pollard, B. J., Lovelock, H. A., Jones, R. M.: Fatal Pulmonary Embolism Secondary to Limb Exsanguination (clinical report), 373

Poppers, P. J., see Lagade, M. R. G.; also see Skaredoff, M. N.

Pruett, J. K., see Mote, P. S.

Pyles, S. T., Pashayan, A. G.: Anesthesia, Neuroradiology, and Metrizamide (correspondence), 590

Q

Quasha, A. L., see Morris, R. B.; also see Sharbrough, F. W.

R

Radke, H. M., see Freund, P. R.

Ramsey, F. M., see Jaffe, T. B.

Ransohoff, J., see Hawkins, R.

Rao, T. L. K., see Bartolone, R. S.

Raudzens, P. A.: Intraoperative Somatosensory-Evoked Potentials (correspondence),

Ravindran, R. S., see Stoops, C. A. Reader, M. S., see Verma, R. S.

Reisch, R. F., see Ott, V. V.

Reisner, L. S.: Type and Screen for Cesarean Section (clinical report), 476

Rendell-Baker, L.: Standard Colors for Intravenous Cannulas (correspondence), 194

Rendell-Baker, L., Meyer, J. A.: Accidental Disconnection and Pulmonary Barotrauma (correspondence), 286

Rendell-Baker, L., Meyer, J. A.: Failure to Use O₂ Analyzers to Prevent Hypoxic Accidents (correspondence), 287

Reynolds, A. C.: Disconnect Alarm Failure (correspondence), 488

Rice, S. A., Dooley, J. R., Mazze, R. I.: Ethanol and Anesthetic Defluorination,

Riddick, L., see Ott, V. V.

Rita, L., Seleny, F., Holinger, L. D.: Anesthetic Management and Gas Scavenging for Laser Surgery of Infant Subglottic Stenosis (clinical report), 191

Robinson, S.: Pulmonary Artery Catheters in Eisenmenger's Syndrome (correspondence), 588; also see Morris, R. B. Ware, R. F.

Roesch, R. P., Stoelting, R. K., Lingeman, J. E., Kahnoski, R. J., Backes, D. J., Gephardt, S. A.: Ammonia Toxicity from Glycine Absorption during Transurethral Resection of Prostate (clinical report), 577

Rosano, J. G.: Manufacturer's Comment (correspondence), 587

Rosenberg, P. H., Kalso, E. A., Tuominen, M. K., Lindén, H. B.: Bupivacaine Toxicity due to Venous Leakage Under Tourniquet Cuff during Bier Block (clinical report), 95

Rosenthal, M. H., see Pearl, R. G. Rossi, D., see Shupak, R. C. Rouman, W. C., see Munshi, C.

Roy, R. C., McLain, S., Wise, A., Shaffner, L. D.: Anesthetic Management of Hallervorden-Spatz Disease (clinical report), 382

Rumley, T. O.: Etiologic Factors in Determining Explosive Colonic Gas Mixtures (correspondence), 195

Rupreht, J., Dworacek, B., Ducardus, R., Schmitz, P. I. M., Dzoljic, M. R.: Central Cholinergic and Endorphinergic Systems in N₂O Withdrawal Syndrome, 524

5

Saito, M., see Muneyuki, M.

Sakakura, S., see Muneyuki, M. Sassano, J. J., see Marquez, J.

Savarese, J. J., See Marquez, J. Savarese, J. J., Sunder, N., Moss, J., Gionfriddo, M. A., Lineberry, C. G., Wastila, W. B., El-Sayad, H. A., El-Sayad, H. A., Montague, D.: Clinical Pharmacology of BW A444U, 333

Schafer, M. F., see Ovassapian, A.,

Schimek, F., see Chapman, C. R.

Schlag, G., see Zimpfer, M.

Schmitz, P. I. M., see Rupreht, J.

Schulte-Sasse, U., Hess, W., Tarnow, J.: Reply to: Pulmonary Vascular Impedance (correspondence), 485

Scott, D., see Kafer, E. R.

Seagard, J. L., Hopp, F. A., Bosnjak, Z. J., Elegbe, E. O., Kampine, J. P.: Sensitization of Baroreceptors by Halothane, 432

Seagram, C. G. F., see Brownell, A. K. W. Seeler, D. C., Thurmon, J. C.: Thiobarbiturates Induce Arrhythmias in Dogs (correspondence), 394

Seleny, F., see Rita, L.

Shaffner, L. D., see Roy, R. C.

Sharbrough, F. W., , Quasha, A. L., Tinker, J. H.: Reply to: Hypothermia and the Electroencephalogram (correspondence), 396

Shaw, C.-M., see Dong, W. K. Shulman, M., see Ivankovich, A. D.

Shupak, R. C., Harp, J. R., Stevenson-Smith, W., Rossi, D., Buchheit, W. A.: High-dose Fentanyl for Neuroanesthesia (clinical report), 579

Sinha, K., see Capan, L. M.

Skaredoff, M. N., Poppers, P. J.: Sharp Edges in Metal Endotracheal Tubes (correspondence), 595

Smith, D. F., Mihm, F. G., Mefford, I.: Hypertension after Intraoperative Autotransfusion in Bilateral Adrenalectomy for Pheochromocytoma (clinical report), 182

Smith, E. R., see Dresel, P. E.

Smith, L. R., see Kissin, I.

Smith, T. C., see Gross, J. B.

Smitka, C. W., see Knight, P. R.

Sokoll, M. D., Gergis, S. D., Mehta, M., Ali, N. M., Lineberry, C.: Safety and Efficacy of Atracurium (BW33A) in Humans, 450

Sokoloff, L., see Crosby, G.

Sonander, H., see Stenqvist, O.

Standaert, F. G., see Day, N. S.

Stånge, K., Halldin, M.: Hypothermia in Pregnancy (clinical report), 460

Stanley, T. H., Pace, N. L.: Statistics Should Support Anesthesiology Literature (correspondence), 297; also see Loeser, E. A.

Stanski, D. R., see Burch, P. G. Stark, R. I., see Zubrow, A. B.

Steen, P. A., Newberg, L., Milde, J. H., Michenfelder, J. D.: Hypothermia and Barbiturates in Cerebral Oxygen Consumption, 527; also see Gronert, G. A.

Steinbereithner, K., see Zimpfer, M.

Stenqvist, O., Sonander, H.: Lung Model for Respiratory Quotient Measurements (correspondence), 594

Stephens, T. S., see Ivankovich, A. D.

Stevenson-Smith, W., see Shupak, R. C.

Stiles, C. M., see Keenan, M. A.

Stirt, J. A., see Berger, J. M.

Stoelting, R. K., see Hilgenberg, J. C.; also see Roesch, R. P.

Stonham, J., Moss, P.: Optimal Test Dose for Epidural Anesthesia (correspondence), 389

Stoops, C. A., Ravindran, R. S., Viegas, O. J.: Reduced Volume Dose of Sodium Citrate (correspondence), 201

Strunin, L., Harrison, L. J., Davies, J. M.: Etiology of Halothane Hepatotoxicity (correspondence), 391

Sumikawa, K., Ishizaka, N., Suzaki, M.: Arrhythmogenic Plasma Epinephrine Levels, 200

Sumikawa, K., Nagai, H.: Moyamoya Disease and Anesthesia (correspondence), 204

Sunder, N., see Savarese, J. J. Suzaki, M., see Sumikawa, K.

Suzukawa, M., Matsumoto, M., Collins, J. G., Kitahata, L. M., Yuge, O.: Dose-response Suppression of WDR Neurons by Spinal Fentanyl, 510

Suzuki, T., see Furuya, H.

Swedlow, D. B., see Karl, H. W.

Sybert, J. W., Kyff, J. V.: Ketamine Treatment of Status Epilepticus (correspondence), 203

Szeinfeld, M., Pallares, V. S.: Reply to: Treatment of Causalgia (corespondence), 295

T

Tarnow, J., see Schulte-Sasse, U.

Teeple, E., Ghia, J. N.: Treatment of Causalgia (correspondence), 294; also see Kafer, E. R.

Thiagarajah, S., Azar, I., Agres, M., Lear, E.: Pacemaker Malfunction Associated with Positive-pressure Ventilation (clinical report), 565

Thurmon, J. C., see Seeler, D. C.

Thys, D. M.: Inseparable Disposables (correspondence), 203

Tinker, J. H., see Sharbrough, F. W.,

Todd, S., see Morray, J.

Tsujimoto, A., see Ikeda, M.

Tsujimoto, S., see Muneyuki, M. Tuominen, M. K., see Rosenberg, P. H. Turndorf, H., see Capan, L. M.

U

Ueda, W., Hirakawa, M., Mae, O.: Epinephrine in Patients under Halothane Anesthesia for Closure of Cleft Palate (clinical report), 574

Uefuji, T., see Furuya, H. Urban, B. J., see Fagraeus, L.

V

Van Dyke, R. A.: Chronic Ethanol Exposure and Anesthetic Metabolism, 221

Vanga, C., see Burstein, A.

Varkey, G. P.: International Anesthesiology Clinics: Anesthetic Considerations in the Surgical Repair of Intracranial Aneurysms. (book review), 398

Vaughn, J., Casson, H., Hirshman, C. A.: Anesthesia in Child with Asthma and Presumed Susceptibility to Malignant Hyperthermia (clinical report), 283

Verma, R. S., Reader, M. S.: "Self-taming" with Succinylcholine and Muscle Pain (correspondence), 487

Veselis, R., Korbon, G. A.: Juvenile Airway in an Adult with Suprasellar Tumor (clinical report), 481

Viale, J. P., see Annat, G. Viegas, O. J., see Stoops, C. A. Vincent, M., see Annat, G.

XA.

Wald, A., Mercurio, A.: Blistering of Epoxy Material of Narco Airshields® Ventilator (correspondence), 390

Wald, A., Neidzwski, J. T.: Tank Wrench Holder for Ohio Modulus® Anesthesia Machine (correspondence), 109

Walker, M. J. A., see MacLeod, B. A. Waller, J. L., see Christian, C. M.

Ware, R. E., Robinson, S., Gregory, G. A.: Reply to: Baroresponse and Cardiovascular Depression by Halothane in Infants (correspondence), 387

Wastila, W. B., see Savarese, J. J. Waterman, P. M., see Marquez, J.

Watson, D., see Flashburg, M. H.

Weibel, S., Mathews, M.: Reply to: Sharp Edges in Metal Endotracheal Tubes (correspondence), 595

Welch, M. H., see Guenter, C. A.

Welch, W. D.: Halothane Inhibition of Microbicidal Oxidative Activity of PAM (laboratory reports), 456

Westheimer, D. N.: Reply to: Risk of Air Embolism during Catheter Placement (correspondence), 206

White, P. F., Coe, V., Dworsky, W. A., Margolis, A.: DIC Following Midtrimester Abortions (clinical report), 99

Wilkinson, P. L., see Morris, R. B.
Wingard, D. W.: Controversies in Prophylactic Use of Dantrolene for Malignant Hyperthermia (correspondence), 489

Winter, P. M., see Marquez, J. Wise, A., see Roy, R. C.

Wood, A. J. J., see Wood, M.

Wood, M., Wood, A. J. J. (eds): Drugs and Anesthesia. Pharmacology for Anesthesiologists (book review), 597

Woods, W. A., see Cohen, S. E. Woodside, J. R., Jr., see Miller, E. D., Jr.

X

Xuan, B. B., see Annat, G.

Y

Yanagida, H.: Facial Pain Induced by Music (correspondence), 388 Yuge, O., see Suzukawa, M.

7

Zaccari, J., see Eyler, S. W.

Zalkind, M. S., see Ovassapian, A.,

Zapo, W. M., see Erdmann, A. J.

Zebrowski, M. E., see Gross, J. B.

Ziadlou-Rad, F., see Conklin, K. A. Zimpfer, M., Gilly, H., Krösl, P., Schlag, G., Steinbereithner, K.: Effects of Enflurane

on Cardiac Performance, 159 Zmysłowski, W. P., Janfaza, P.: The Ts of Endotracheal Intubation (correspondence), 107

Zmyslowski, W. P., Lena, D. M.: Dinamap® Adaptation for Neonatal Blood Pressure Determination (correspondence), 583

Zubrow, A. B., Daniel, S. S., Stark, R. I., Husain, M. K., James, L. S.: Plasma Renin and Vasopressin during Hypotension, 245

